

Sterling (£) Price Book



May, 2026

audioquest[®]



TABLE OF CONTENTS

USB Digital-Audio Converters

| | |
|--------------------------------|---|
| DragonFly DACs | 7 |
| JitterBug FMJ USB Noise Filter | 7 |
| USB Extenders and Adaptors | 7 |

AC Power

| | |
|----------------------------|-------|
| Power Conditioners | 8-9 |
| Power Cables | 11-13 |
| Power Plugs | 12-13 |
| Adaptors | 14 |
| Fog Lifters (Cable Risers) | 14 |

Speaker Cables

| | |
|----------------------------|-------|
| Q2 | 18 |
| Type Series | 18 |
| Rocket Series | 19 |
| Folk Heroes | 20 |
| Mythical Creatures | 21-23 |
| BiWire Jumpers | 24 |
| Fog Lifters (Cable Risers) | 24 |
| Binding Post Wrench | 24 |

Audio Interconnect Cables

| | |
|-------------------------------|----|
| Bridges & Falls | 26 |
| Rivers | 27 |
| Mythical Horses | 28 |
| Mythical Creatures | 29 |
| Adaptors, Splitters, Couplers | 30 |
| PreAmp Jumpers | 30 |

Subwoofer Cables

| | |
|--|----|
| | 31 |
|--|----|

Tonearm & Turntable Cables

| | |
|--|----|
| | 31 |
|--|----|

Vinyl Accessories

| | |
|------------------------------------|----|
| GroundGoody Tonearm & Ground Wires | 34 |
| Record Brushes | 34 |
| Headshell Leads | 34 |

Headphone Accessories

| | |
|---------------------------|----|
| NightBird Headphone Cable | 34 |
| Headphone Plug Adaptor | 34 |
| Perch Headphone Stand | 34 |

HDMI Cables

| | |
|---|----|
| 8K (48Gbps) | 37 |
| 4K (18Gbps) & 8K (48Gbps) Long-Length | 38 |
| 8K (48Gbps) eARC-Priority Adaptors, Coupler | 38 |
| | 39 |

Digital-Audio Interconnect Cables

| | |
|---------------------------------|-------|
| USB Cables and Adaptors | 41-42 |
| Optical Cables and Adaptor | 43 |
| Digital Coax Cables and Adaptor | 44 |
| AES/EBU (Balanced) Cables | 45 |
| Ethernet Cables (RJ/E) | 46 |

Accessories

| | |
|-------------------------------|----|
| DBS Pack | 47 |
| Q-Feet System | 47 |
| Fog Lifters (Cable Risers) | 47 |
| CleanScreen | 47 |
| Sorbothane Self-Stick Sheet | 47 |
| Cable Clips | 47 |
| Adaptors, Splitters, Couplers | 47 |
| Antenna Cables - HD6 Forest | 47 |
| RCA, XLR, Coax | |
| Plugs and Connectors | 47 |
| Noise-Stopper Caps | 50 |

Instant Tool-less Connectors (ITC)

| | |
|----------------|----|
| Cable Stripper | 52 |
| Bulk Cables | 52 |
| Connectors | 52 |

Bulk Speaker Cables (Spools)

| | |
|--------------------------------------|----|
| CL3/FT4 In-Wall Rated Speaker Cables | 53 |
| Speaker Cables — Not In-Wall Rated | 54 |
| SureGrip® Speaker Connectors | 55 |
| Spade, Pin, and Banana Connectors | 56 |
| Termination Pants | 56 |

Bulk Audio Interconnect Cables (Spools)

| | |
|---|----|
| CL3/FT4 In-Wall Rated Audio Interconnect Cables and Plugs | 57 |
|---|----|

Bulk Ethernet Cables (Spools)

| | |
|---|----|
| CL3/FT4 In-Wall Rated CAT6 and CAT7 Ethernet Cables & Plugs | 58 |
|---|----|

Installer Packs

| | |
|---|-------|
| Cables, Splitters and Adaptors in Single, Packs of 5 and 10 | 59-60 |
|---|-------|

POP Materials

| | |
|---------------------------------------|----|
| Wall Signs, Tent Card, Window Sticker | 61 |
| Spool Holder | 61 |
| In-Store Display Racks | 61 |

Promotional Items

| | |
|-----------------------|----|
| Polo, T-shirt, Jacket | 62 |
| Baseball Cap, Beanie | 62 |
| Pen | 62 |
| Water Bottle | 62 |
| License Plate Frame | 63 |
| Backpacks, Tote Bag | 63 |

Index

| |
|-------|
| 64-66 |
|-------|

Terms and Conditions

- Prices are subject to change without notice.
- All prices are in Pound Sterling.
- As used throughout this price book, "Retail" carries the same meaning as Suggested Retail Price (SRP).

Returns

- All returns are subject to approval by AudioQuest.
- Built-to-order products may not be returned.
- All sales are final for custom speaker cables produced at 2m or less.
- A Return Merchandise Authorization (RMA) number must be issued by AudioQuest before any product may be returned.
- The RMA number must appear on the outside of the shipping carton, near or on the address label.

Contact Information

AudioQuest
Hoge Bergen 10
4704 RH Roosendaal
The Netherlands
www.audioquest.com
Tel: 01249 848873

Email orders and related correspondence: orders@audioquest.nl


Email all other correspondence to: info@audioquest.nl

Copyright © 2026 AudioQuest.

All rights reserved.

E & OE. In the interests of continuous product improvement, all specifications are subject to change without notice.

AudioQuest: Doing No Harm Since 1980



William (Bill) Low
Founder / CEO

For 45 years now, AudioQuest, headquartered in Irvine, California, has been a leading developer, manufacturer, and distributor of high-performance audio/video products and custom-install solutions. Although best known for our comprehensive range of analog, digital, and AC power cables, our portfolio has expanded to a diverse assortment of products, including the multi-award-winning DragonFly DACs, and Niagara and PowerQuest power products.

Our ultimate goal is the same today as it was 45 years ago: Do No Harm! By this we mean that all cables and components, to the extent that is technologically feasible, should get out of the music's way by inducing the least amount of noise and distortion.

The Evolution Continues: The Four Elements Today

While minimizing noise and damage to the audio signal remains the North-Star constant, the ways in which AudioQuest engages these challenges always evolves. While there are still Four Elements that describe our foundational materials and design philosophies, a growing number of technologies cross and even go beyond our original Four Elements. Many have become crucial enough to demand visibility. Noise-Dissipation is an umbrella Element under which many of these meaningful techniques and technologies will reside. While Geometry is no longer identified as one of The Four Elements, it remains inextricably tied to all other Elements of cable design and manufacture.

Solid Conductors: Strand interaction remains the biggest potential source of distortion in cables. Solid Conductors are the aspirational ideal and most complete solution to this problem. However, thoughtfully arranged multi-conductor geometries such as concentric windings are used to create our Semi-Solid Conductor technologies. These avoid many strand-distortion mechanisms and are in their own right ideal in a growing number of applications.

Directionality: All drawn metal conductors have a non-symmetrical, fish-scale-like grain structure. Because the highest Radio Frequencies (RF) are subject to skin effect, traveling on this deformed outer-surface layer of the conductor, there is a resulting increase in RF impedance in one direction versus the other. Since induced RF noise is parasitic (and doesn't travel with the primary signal current), it takes the path of least resistance. At AudioQuest, we test every conductor so it is used in the direction that drains the induced noise away from where it will cause the most harm, optimizing the cable and the system's performance.

Noise-Dissipation: Unwanted Radio-Frequency (RF) noise is and has always been picked up and induced into cable. This contamination ultimately masks and distorts critical portions of the audio/video signal. As this distortion-causing (parasitic) RF signal is more present today than at any previous time in history, we must depend on a wider arsenal of Noise-Dissipation technologies:

- ZERO-Tech (No Characteristic Impedance) applies Ultra-Linear Noise-Dissipation across the widest range of frequencies possible. It also enables uncompressed transient current transfer for AC power and loudspeaker/power amplifier applications.
- RF/ND-Tech (Patented Radio-Frequency Ground-Noise Dissipation) minimizes circuit misbehavior by cancelling induced RF noise.
- Tried-and-true DBS (Dielectric-Bias System) has evolved to include RF-Noise Traps that further reduce dielectric distortion and induced noise.

Metal Quality: Higher-purity conductor metals with smoother surfaces and internal crystal structures greatly reduce noise and distortion. Carefully finessed mixes of metals and conductor sizes can be effectively used to define a cable's Sonic Signature—a cost-effective technique for high-value, high-performance models.



Solid Conductors

Directionality

Noise-Dissipation

Metal Quality

DragonFly: The Evolution Continues

Beautiful Sound from Any Mobile Device or Computer

With today's mobile devices, computers, and streaming applications, we have immediate access to an ever-expanding universe of digital media — music, videos, podcasts, games, reels, and more.

The digital-to-analog converters (DACs) in these powerful devices are designed to produce sound effects and alerts — not fully expressed music. So, even when the sample-rate numbers (24/192, etc.) look impressive, we're missing the detail and resolution that makes music so engaging.

DragonFly bypasses that internal audio circuitry to unlock a more immersive and emotionally compelling experience, revealing the expression and nuance that makes music and movies so enjoyable — no matter the source device, streaming application, or file type.


Like all AudioQuest products, DragonFly has benefitted from gradual refinements made possible by better parts, better materials, and our own insatiable desire for better sound.

DragonFly Black was considered an overachiever, delivering great performance for relatively little money.

DragonFly Red offered more power, more grip, and even deeper sonic immersion.

DragonFly Cobalt, with its more advanced processor, microcontroller, and RF noise filtering, provided even greater clarity, dynamics, and finesse than previously possible.

Now, DragonFly Copper boasts the most powerful and efficient DAC/headphone amp we've ever used and features a High-Conductivity Copper-Plated case inspired by the gorgeous RF-Draining plug barrels of our Mythical interconnects. The result is 2x the output power of Cobalt, significantly improved noise-dissipation, and, we hope, immeasurably greater musical immersion and enjoyment.



DragonFly DAC + Preamp + Headphone Amp

- Beautiful sound from all music files; MP3 to Hi-Res
- Copper-Plated Case provides superior RF-Noise Dissipation
- Uses 25% less current and delivers 2x the output power of previous DragonFly Cobalt
- Drives Headphones; Feeds Preamps, Amps, and Powered Speakers



| DragonFly Copper | |
|--|--|
| Integrated DAC/Headphone Amp | ESS9218 |
| Output Power | 2x any previous DragonFly |
| Volume Control | Phone, tablet, or computer controls the output level |
| Desktop Compatibility | Apple and Windows PCs |
| Mobile Compatibility | iOS and Android |
| Included Accessories | DragonTail A-to-C adaptor |
| Dimensions | 57mm (l) x 19mm (w) x 12mm (h) |
| ETA: Summer 2026; UK Retail: 229.95 | |

USB Extenders and Adaptors

DragonTail USB Extenders feature 5% Silver Solid Conductors and are Direction-Controlled for reduced RF noise.



DragonTail USB A 2.0 Extender
Female USB A to Male A
UK Retail: 25.95




DragonTail A to C Adaptor
(included with DragonFly Copper)
UK Retail: 25.95

JitterBug FMJ USB 2.0 Noise Filter (Data & Power)



- Enables more spacious and compelling sound
- Dual Discrete Noise-Dissipation Circuits reduce all forms of internal noise in both the sending and receiving electronics
- Full Metal Jacket (FMJ) with hinged Carbon-Loaded Noise-Dissipation input cover protects against external noise
- Reduces jitter and packet errors
- Use one JitterBug in series with almost any USB DAC, including DragonFly Copper
- For an additional improvement, use a second JitterBug in parallel



UK Retail: 59.00

AC Power Conditioners

Niagara and PowerQuest: Low-Z Power | Noise-Dissipation Systems

Redefining the science of AC power conditioning

What is a power conditioner and why is it necessary?

For some, a power conditioner is merely a device that provides enough outlets for the entire audio/video system while also protecting the connected devices from electrical storms and wiring faults. Yet, for the discriminating listener, many power conditioners can make an audio/video system perform far worse.

Yes, a home or building may have dimming lights or an occasional brown-out, and the utilities' AC sine wave is always far from perfect. However, where incoming power is concerned, there are two reasons an audio/video system does not perform up to its full potential: 1) The current transients that supply the power amplifier are compressed, and 2) The ever-increasing levels of radio-frequency noise are masking (covering up) the system's low-level signal content.

When compared to or measured against either Niagara or PowerQuest, a simple power bar or a dedicated AC wall outlet can lose up to a third of the low-level audio information that contain much of a recording's harmonics, imaging, high frequencies, and bottom-end grip—and once that information is gone, it's gone forever.




AudioQuest's Niagara and PowerQuest technologies are unique amongst all power products—whether they're isolation transformers, AC regenerators, battery back-up, re-clocking devices, or other types. Niagara and PowerQuest filters and Ground-Noise Dissipation work evenly, or linearly, across a far wider range of induced noise frequencies. Additionally, Niagaras 3000, 5000, and 7000 feature Transient Power Correction, which supplies a current reservoir to greatly bolster the performance of any power amplifier.



Niagara Series AC Power Conditioners

All Niagaras share the following features:

- Linear Noise-Dissipation Technology
- Patented Ground-Noise Dissipation
- Directionally Controlled Wiring & Inductors
- High-Tension AC Inlets and Outlets
- Non-Sacrificial Surge Protection
- Extreme Voltage Shutdown



| | Niagara 1200 | Niagara 3000 | Niagara 5000 | Niagara 7000 |
|--|---|--|---|---|
| UK Retail | 1,099.00 | 3,399.00 | 4,999.00 | 9,999.00 |
| Power Cable | Not Included A direction-controlled cable is required to maximize the Niagara's performance | | | |
| Transient Power Correction | No | 55 amps peak (up to 25mS) | 80 amps peak (up to 25mS) | |
| DBS Symmetrical Power Isolation Transformer | No | | | Yes |
| Outlets | 7 total: (5) Source (2) High-Current | | 11 total: (8) Source (3) High-Current | |
| Maximum RMS Current | 10 Amps (RMS) @ 220 - 240V | | 16 Amps (RMS) @ 220 - 240V | |
| Dimensions | 493mm W x 81mm H x 190mm D | 445mm W x 88mm H x 386mm D (2-RU rack mount kit included) | 445mm W x 133mm H x 437mm D (3-RU rack mount kit on request) | 445mm W x 133mm H x 437mm D (3-RU rack mount kit on request) |
| Weight | 8.2 kg | 11.3 kg | 17.2 kg | 39 kg |

For more information on AudioQuest power products, visit <https://www.audioquest.com/ac-power>

Download our Power Demystified paper at <https://www.audioquest.com/theory-education>

AC Power Cables


Low-Z | Noise-Dissipation NRG, Wind, and Storm Series

The power cables that are supplied with most audio/video components have many admirable features. They're durable, flexible, small, and they will unfailingly supply the required AC voltage from the utilities' service tap for many years to come. They're also inexpensive.

Unfortunately, these "commodity" power cables were never up to the task of supplying sensitive components with the quality power they need. By this, we mean power that is unrestricted when delivering current transients to a power amplifier. The power cable must not add noise to the audio/video signal via RF (radio-frequency) noise that is induced into, or picked up by, the AV component. The ground lead is the worst offender in this regard, as it has no component power supply to help lessen the damage from the induced RF noise. Typically, the ground noise drains directly towards the component's signal path.

Even with an advanced AC power system like Niagara or PowerQuest, the AC power cable is a branch of noise-dissipation system. Like plumbing, the RF noise must be drained away from the circuits upon which it could do harm. Many ask, if my wall wiring is so many yards in length, how can a 6-foot cable possibly matter? It matters for the same reason four square inches of mud and debris can back up a plumbing system or a rain gutter. The drainage or distribution of water currents and noise currents work in the exact same manner. They are one system.

With AudioQuest AC power cables and our unique technologies such as ZERO-Tech (No Characteristic Impedance) and our patented RF/ND-Tech, you will experience greater dynamics, bass grip, extended high frequencies, and the blackest background you've ever heard.



AC Power Cables: NRG Series

C5
2.5A Maximum RMS Capacity @ 230VAC 50Hz



C7
2.5A Maximum RMS Capacity @ 230VAC 50Hz



C13
10A Maximum RMS Capacity @ 230VAC 50Hz



NRG-Y2 and NRG-Z2 cables use a 2-pole C7 connector—and yet feature a 3-prong wall plug. The additional ground connection is necessary to enable ZERO-Tech, and to maximize RF-Noise Dissipation.



| Model | NRG-X2 | NRG-Y2 | NRG-Z2 | NRG-X3 | NRG-Y3 | NRG-Z3 |
|---------------------|--|--|----------------------------|---|--|--|
| Metal | Semi-Solid Concentric LGC | | Semi-Solid Concentric PSC+ | Semi-Solid Concentric LGC | | Semi-Solid Concentric PSC+ |
| Gauge | 1.04mm ² (2.5 Amp @ 220-240V) | | | 1.31mm ² (C13 Plug: 10 Amp @ 220-240v, C5 Plug: 2.5 amps @ 220-240v) | 2.08mm ² (10 Amp @ 220-240v) | 2.08mm ² (10 Amp @ 220-240v) |
| Technology | - | ZERO Tech (No Characteristic Impedance) | | - | ZERO Tech (No Characteristic Impedance) | ZERO Tech (No Characteristic Impedance); Patented RF/ND-Tech |
| Jacket | Black PVC with Red Stripes | Dark Gray/Black Braid | Dark Red/Black Braid | Black PVC with Red Stripes | Dark Gray/Black Braid | Dark Red/Black Braid |
| Terminations | Cold-Welded Connectors | | | | | |
| Length | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 1m | 64.95 | 129.95 | 199.95 | 79.95 | 154.95 | 259.95 |
| 2m | 79.95 | 154.95 | 259.95 | 104.95 | 189.95 | 349.95 |
| 3m | 94.95 | 179.95 | 319.95 | 129.95 | 224.95 | 439.95 |
| 4.5m | - | - | - | 149.95 | - | - |
| 6m | - | - | - | 179.95 | - | - |




C17
For components that use the ungrounded C17 connector, please use AQ cables with a C13/C15 connector. The grounded male plug is necessary to make use of our Noise-Dissipation System.

Note: NRG-X3 with C5 connector is available in 1m, 2m & 3m only

AC Power Cables: Wind Series

Never assume which of these is required for a component or power conditioner. Some manufacturers prefer the performance of one IEC inlet type over another—even when their circuit's current draw is minimal.






Wind Series Plugs



Wind XTRM Plugs Built From Storm-Level Components

XTRM cables have upgraded plugs equivalent in quality to the Storm Series plugs.

| Model | Jaws | Jaws Turbo | Blizzard ● 72v DBS | Blizzard XTRM ● 72v DBS | Silver Cloud ● 72v DBS | Silver Cloud XTRM ● 72v DBS |
|-------------------------------------|---|---|--|---|---|---|
| Plug Type | Direct-Gold Plated Molded | Hanging-Silver over Red and Beryllium Coppers | Direct-Gold Plated Moulded | Hanging-Silver over Red and Beryllium Coppers | Direct-Gold Plated Moulded | Hanging-Silver over Red and Beryllium Coppers |
| Metal | Semi-Solid True-Concentric Perfect-Surface Copper+ (PSC+) | | Semi-Solid True-Concentric Perfect-Surface Copper+ (PSC+) | | Semi-Solid True-Concentric Perfect-Surface Silver (PSS) and Perfect-Surface Copper+ (PSC+) | |
| Gauge | 2 x 3,31mm ² & 1 x 2.08mm ² | | 3.31mm ² | | | |
| Technology | ZERO-Tech (No Characteristic Impedance) for Uncompressed Current Transfer; RF/ND-Tech | | | | | |
| Jacket | Dark Blue/Black Braid  | | Silver/Black Braid  | | Black/Black Braid  | |
| Terminations | Direct-Gold and Silver Plated; Cold-Welded Connectors | | | | | |
| Length | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 1m | 519.00 | 1,019.00 | 749.00 | 879.00 | 1,819.00 | 2,149.00 |
| 2m | 689.00 | 1,189.00 | 899.00 | 1,059.00 | 3,169.00 | 3,499.00 |
| 3m | 859.00 | 1,359.00 | 1,239.00 | 1,399.00 | 4,519.00 | 4,849.00 |
| Other prepared lengths use formula: | - | 170.00/m + 849.00 | - | 180.00/m + 699.00 | - | 1,350.00/m + 799.00 |

Limited or no availability. Please contact AQ

AC Power Cables: Storm Series

Never assume which of these is required for a component or power conditioner. Some manufacturers prefer the performance of one IEC inlet type over another—even when their circuit's current draw is minimal.

C13 or C15
10 Amp Maximum RMS
Capacity @ 230VAC 50Hz










C19
16 Maximum RMS
Capacity @ 230VAC 50Hz







Plugs for Storm Series


High (Variable) Current AC Power Cables - Optimized for use with AC power conditioners/regenerators, power amplifiers, and any components that contain a built-in power amplifier, including AV receivers, powered speakers, and powered subwoofers.

| Model |  Thunder ● 72v DBS |  Tornado ● 72v DBS | Limited or no availability. Please contact AQ | | Limited or no availability. Please contact AQ | | Limited or no availability. Please contact AQ | |
|-------------------------------------|--|---|---|--|---|-----------|---|-----------|
| Conductor Metal | Solid Perfect-Surface Copper+ (PSC+) plus Long-Grain Copper (LGC) | | Solid Perfect-Surface Copper+ (PSC+) | | Solid Perfect-Surface Silver (PSS) plus Solid Perfect-Surface Copper+ (PSC+) | | Solid Perfect-Surface Silver (PSS) | |
| RF Drain Metal | Solid 6% Silver | | | | Solid Perfect-Surface Silver (PSS) | | | |
| Technology | ZERO-Tech (No Characteristic Impedance) for Uncompressed Current Transfer; RF/ND-Tech | | | | | | | |
| Jacket | Brown/Black Braid  | Silver/Black Braid  | Dark Blue/Black Braid  | Dark Red/Black Braid  | Black/Black Braid  | | | |
| Termination and Gauge | Hanging-Silver over Red and Beryllium Copper - 4.17mm ² Line and Neutral - 3.31mm ² Ground | | | | | | | |
| Length | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 1m | 1,099.00 | 1,299.00 | 1,799.00 | 3,499.00 | 5,199.00 | | | |
| 2m | 1,299.00 | 1,669.00 | 2,699.00 | 6,099.00 | 9,499.00 | | | |
| 3m | 1,499.00 | 2,099.00 | 3,599.00 | 8,699.00 | 13,799.00 | | | |
| Other prepared lengths use formula: | 200.00/m + 899.00 | 400.00/m + 899.00 | 900.00/m + 899.00 | 2,600.00/m + 899.00 | 4,300.00/m + 899.00 | | | |

Constant-Current (Source) AC Power Cables - Optimized for use with audio/video source components, which have a constant or "fixed" current draw.

| Model | - |  Tornado ● 72v DBS |  Hurricane ● 72v DBS |  FireBird ● 72v DBS |  Dragon ● 72v DBS |
|-------------------------------------|---|---|---|--|--|
| Conductor Metal | - | Solid Perfect-Surface Copper+ (PSC+) | | Solid Perfect-Surface Silver (PSS) | |
| RF Drain Metal | - | Solid 6% Silver | Solid Perfect-Surface Silver (PSS) | | |
| Termination and Gauge | - | Hanging-Silver over Red and Beryllium Copper - 1.31mm ² Line, Neutral and Ground | | | |
| Length | - | UK Retail | UK Retail | UK Retail | UK Retail |
| 1m | - | 1,109.00 | 1,399.00 | 2,999.00 | 4,299.00 |
| 2m | - | 1,319.00 | 1,899.00 | 5,099.00 | 7,699.00 |
| 3m | - | 1,529.00 | 2,399.00 | 7,199.00 | 11,099.00 |
| Other prepared lengths use formula: | - | 210.00/m + 899.00 | 500.00/m + 899.00 | 2,100.00/m + 899.00 | 3,400.00/m + 899.00 |
| | | Limited or no availability. Please contact AQ | | Limited or no availability. Please contact AQ | |

AC Power Accessories



IEC90°/1
Adaptor Bends in
Direction of 1 Center
UK Retail: 21.95



IEC90°/2
Adaptor Bends in
Direction of 2 Outer Pins
UK Retail: 21.95

Female to Male IEC C-13 Adaptors

Premium Single-Piece
Metal Conductors from
Input to All Outputs
Preserve Advantages
of Superior AudioQuest
NRG Series AC Cables.



C7 90° Adaptor Kit

- Provides 90° bends for C7 power connections
- Also connects for double bends
- Non-polarized for maximum flexibility

Package contains:

- 1 x "E" adaptor
- 1 x "U" adaptor

UK Retail: 44.95

**C7 90° Adaptors also available in
Installer 5-Packs, page 57.**

Fog Lifters

Reduce the RF noise that capacitively couples into cables through all solid materials (carpet, stone, wood, etc.)



Set of 8
UK Retail: 129.95

Speaker Cables

Meticulously Designed to Minimize Noise and Distortion

Do No Harm: The Four Elements Today

AudioQuest's Four Elements are always applied in the most thoughtful, effective ways to offer the best performance for the money—at all price points. While our implementation of these techniques has evolved over the years, our guiding principle remains the same: *Do No Harm*.

Solid Conductors

Strand interaction remains the biggest potential source of distortion in cables. Solid Conductors are the aspirational ideal and most complete solution to this problem. However, thoughtfully arranged multi-conductor geometries such as concentric windings are used to create our Semi-Solid Conductor technologies. These avoid many strand-distortion mechanisms and are in their own right ideal in a growing number of applications.

High-Purity Metal

Higher-purity conductor metals with smoother surfaces and internal crystal structures greatly reduce noise and distortion. Carefully finessed mixes of metals and conductor sizes can be effectively used to define a cable's *Sonic Signature*—a cost-effective technique for high-value, high-performance models.

Noise-Dissipation

Unwanted Radio-Frequency (RF) noise is and has always been picked up and induced into cable. This contamination ultimately masks and distorts critical portions of the audio/video signal. As this distortion-causing (parasitic) RF signal is more present today than at any previous time in history, we must depend on a wider arsenal of Noise-Dissipation technologies:

- Directionally Controlled conductors minimize high-frequency noise by “directing” or draining it away from the most vulnerable circuits.
- ZERO-Technology (No Characteristic Impedance) applies Ultra-Linear Noise-Dissipation across the widest range of frequencies possible. It also enables uncompressed transient current transfer for AC power and loudspeaker/power amplifier applications.
- RF/ND-Tech (Patented Radio-Frequency Ground-Noise Dissipation) minimizes circuit misbehavior by cancelling induced RF noise.
- Tried-and-true DBS has evolved to include RF-Noise Traps that further reduce dielectric distortion and induced noise.

Dielectric

Insulation is necessary between conductors to minimize signal interaction and electrical shorts. The ideal is virtually no dielectric interaction (such as is achieved with our ZERO-Technology). However, by optimizing the dielectric material between signal conductors, this distortion is greatly minimized.



Speaker Cable Applications

Full-Range (FR)
Non BiWire, All Models

Amplifier **Speaker**

Amp **Speaker**

Single-BiWire (SBW)
Rocket Models Only

Amplifier **Speaker**

Amp **Speaker**

Treble
Bass

Treble
Bass
Treble

Single-BiAmp (SBA)
Rocket Models Only

Amplifier **Speaker**

Amp **Speaker**

Treble
Bass

Treble
Bass

BiWire COMBO
Mythical Creatures
ZERO and BASS Combination

Amplifier **Speaker**

Amp **Speaker**

ZERO Cable

BASS Cable

Treble
Bass

Treble

REL Acoustics™ / Sonus Faber™
High-Level Input Subwoofer Cable
Single Subwoofer (Version 1) - Rocket Models Only

Right (+) **Subwoofer**

Left (+)

(-)

REL Acoustics™ / Sonus Faber™
High-Level Input Subwoofer Cable
Dual Subwoofer (Version 2) - Rocket Models Only

(+) **Subwoofer**

(-) **Left**

(+) **Subwoofer**

(-) **Right**

REL Acoustics™ Umbilical Line-Array Connector
Rocket Models Only (1m Standard Length)

Contact AudioQuest for pricing.

Mythical Creature & Folk Hero Termination Options: Bananas or Spades?

Amplifier-End Connector:

Choice of 1000 Series Multi-Spade, Banana, U-Spade, or V-Spade (Silver only)



Insulated (compliant) binding posts may not allow for 2 sets of connectors.

Often, the choice between terminating speaker cables with spade lugs or banana plugs will come down to personal preference. However, today's EU-compliant isolated binding posts are being used on more power amplifiers than ever before. This sometimes makes it difficult, if not impossible, to use a banana connector. Further, given the girth and weight of our Mythical Creature Series speaker cables, a spade may be better capable of fully supporting the cable. This is particularly a concern with binding posts that do not allow a banana connector to fully seat into the post.

Further, the EU-compliant posts will neither accept our V-Spade nor allow our Multi-Spade to be fully seated. For these applications (or when you're not certain), **we highly recommend the U-Spade**, as it can accommodate any binding post. The V-Spade is a specialty spade connector that works well with large wingnut binding posts (such as the Mundorf), as it allows extra clearance.



Banana




Multi-Spade




U-Spade




V-Spade




Banana Dimensions (mm)



Multi-Spade Dimensions (mm)



U-Spade Dimensions (mm)



V-Spade Dimensions (mm)

Speaker-End Connector:

Choice of 1000-Series Spade or Banana (Silver only)

Here we typically recommend the U-Spade or banana connector. However, even though there is less weight and pressure on this side of the cable (particularly for BiWire sets), it is nevertheless important to note the binding post's design. If a banana connector cannot seat all the way into the binding post, we recommend one of our spade connectors.

How to Order Prepared Speaker Cables

First please specify type of connector (banana or appropriate spade), then the finish of connector (silver*).






(*or gold where applicable)

Pair prices shown. Also available in singles (i.e. for center channel, subwoofer, or mono) at half pair price.

When ordering any factory-terminated speaker cable, please include the required elements shown in the examples below:

| Qty. | Pair or Single | Length | Model | FR/BWC/SBW | Amplifier Termination | Speaker Termination | Silver or Gold |
|------|----------------|--------|-----------------------------|------------|-----------------------|---------------------|----------------|
| 1 | Pair | 3m | Rocket 88 | FR | Spade | Banana | Silver |
| 1 | Single | 2m | Lone Ranger & Bigfoot Combo | COMBO | U-Spade | Banana | N/A |
| 1 | Single | 3m | Rocket 44 | SBW | Spade | Banana | Gold |


Speaker Cables: Q2 and Type Series (5, 9, Type 9+DBS)



| Model | Q2 | Type 5 | Type 9 | Type 9+DBS ● 72v DBS |
|---|--|--|--|---|
| Metal | Concentric Long-Grain Copper (LGC) | Solid PSC+ Sonic-Signature Conductors and Long-Grain Copper (LGC) | Solid Perfect-Surface Copper+ (PSC+) | |
| Gauge | 1.65mm ² | 1.65mm ² | 1.65mm ² | 1.65mm ² |
| Geometry | Low-Inductance Twisted-Pair | | Star-Quad | |
| Noise-Dissipation | No | Carbon-Based Noise-Dissipation | Multi-Layer Carbon-Based Noise-Dissipation | |
| Jacket | Prepared: Black PVC Bulk: White or Black PVC | Prepared: Brown/Black Braid Bulk: Red Striped PVC | Red/Black Braid | |
| Plugs | Prepared: SureGrip 100 (Silver) Banana Bulk: SureGrip 100 (Silver or Gold) Banana | SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana | 500 Series (Silver or Gold) Choice of Multi-Spade or Banana | 1000 Series (Silver) Choice of Multi-Spade or Banana |
| Prepared Lengths | UK Retail | UK Retail | UK Retail | UK Retail |
| 2m Pair | - | 479.00 | 659.00 | 1,049.00 |
| 2.5m Pair | - | 504.00 | 709.00 | 1,099.00 |
| 3m Pair | 299.00 | 529.00 | 759.00 | 1,149.00 |
| 4m Pair | - | 579.00 | 859.00 | 1,249.00 |
| Other prepared lengths use formula (per pair) | - | 50.00/m + 379.00 | 100.00/m + 459.00 | 100.00/m + 849.00 |
| Bulk Cables (on spools) | UK Retail | UK Retail | UK Retail | UK Retail |
| 50m | - | - | - | - |
| 100m | 14.00/m | 25.00/m | - | - |

Speaker Cables: Rocket Series

***Please Specify Termination**




| Model | Rocket 11 | | Rocket 22 | | Rocket 33 | | Rocket 44 | | Rocket 88 ● 72v DBS | |
|--|--|---------------------|---|---------------------|--|----------------------|--|----------------------|--------------------------|----------------------|
| *Application Options | Full-Range, Single-BiWire Single Bi-Amp | | Full-Range, Single-BiWire prices below. Single Bi-Amp, REL, Optimized for Naim & custom please contact AudioQuest for prices. | | | | | | | |
| Metal | Semi-Solid Concentric Long-Grain Copper (LGC) | | Semi-Solid Concentric PSC and LGC | | Solid PSC and LGC | | Solid PSC+ and PSC | | Solid PSC+ | |
| Gauge | 2.08mm ² | | 3.31mm ² | | 2.08mm ² | | 2.63mm ² | | | |
| Geometry | Double Spiral-Pair | | | | Double Star-Quad | | | | | |
| Dielectric | PVC | | | | Foamed-Polyethylene (For All Positive Conductors) | | | | | |
| Noise-Dissipation | No | | Carbon-Based Noise-Dissipation | | | | | | | |
| Jacket | Black or White PVC with Grey stripes | | Black or White PVC with Blue stripes | | Red/Black Braid or PVC | | Silver/Black Braid or PVC | | Green/Black Braid or PVC | |
| Plugs | SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana | | | | SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana | | 500 Series (Silver or Gold) Choice of Multi-Spade or Banana | | | |
| Prepared Lengths | UK Retail | | UK Retail | | UK Retail | | UK Retail | | UK Retail | |
| Termination Options | Full Range | Single Bi-Wire | Full Range | Single Bi-Wire | Full Range | Single Bi-Wire | Full Range | Single Bi-Wire | Full Range | Single Bi-Wire |
| 2m Pair | 339.00 | 399.00 | 419.00 | 479.00 | 559.00 | 619.00 | 749.00 | 989.00 | 1,119.00 | 1,249.00 |
| 2.5m Pair | 359.00 | 419.00 | 459.00 | 519.00 | 624.00 | 684.00 | 849.00 | 1,089.00 | 1,249.00 | 1,379.00 |
| 3m Pair | 379.00 | 439.00 | 499.00 | 559.00 | 689.00 | 749.00 | 949.00 | 1,189.00 | 1,379.00 | 1,509.00 |
| 4m Pair | 419.00 | 479.00 | 579.00 | 639.00 | 749.00 | 879.00 | 1,149.00 | 1,389.00 | 1,639.00 | 1,769.00 |
| Other prepared lengths use formula (per pair) | 40.00/m + 259.00 | 40.00/m + 319.00 | 80.00/m + 279.00 | 80.00/m + 319.00 | 130.00/m + 299.00 | 130.00/m + 359.00 | 200.00/m + 349.00 | 200.00/m + 469.00 | 260.00/m + 599.00 | 260.00/m + 729.00 |
| Bulk Cables (on spools) | UK Retail | | UK Retail | | UK Retail | | UK Retail | | UK Retail | |
| 50m | 20.00/m | | 40.00/m | | 65.00/m | | 100.00/m | | 130.00/m | |
| 100m | 20.00/m | | 40.00/m | | 65.00/m | | - | | - | |

ZERO-Tech Speaker Cables: Folk Heroes




| Model | Lone Ranger ● 72v DBS | | BigFoot (Bass Cable) ● 72v DBS | | Lone Ranger/BigFoot BiWire COMBO ● 72v DBS | | Brave Heart ● 72v DBS | |
|--|---|------------------|--|------------------|--|------------------|---|--|
| Metal | Solid Perfect-Surface Copper+ (PSC+) | | | | Refer to Specs for Lone Ranger and BigFoot | | Solid Perfect-Surface Copper+ (PSC+) | |
| Gauge | 2,08mm ² | | | | | | 3,31 mm ² | |
| Geometry | ZERO-Tech (No Characteristic Impedance) | | | | | | ZERO-Tech (No Characteristic Impedance) | |
| Noise-Dissipation | Graphene+Carbon Mesh-Network | | RF/ND-Tech | | | | Graphene+Carbon Mesh-Network | |
| Jacket | Black/Black Braid | | | | | | Red/Black Braid | |
| Application Options | Full-Range or BiWire COMBO (when combined with BigFoot BASS cable) | | BiWire COMBO (when combined with Lone Ranger ZERO cable) | | Full-Range | | | |
| Plug Options (1000 Series, Silver) | Choice of U-Spade, Multi-Spade, Banana (amp side/speaker side) or V-Spade (amp side only) | | | | | | | |
| Prepared Lengths | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | |
| 2m Pair | 2,290.00 | 2,290.00 | 2,290.00 | 4,580.00 | 3,699.00 | 3,699.00 | 3,699.00 | |
| 2.5m Pair | 2,540.00 | 2,540.00 | 2,540.00 | 5,080.00 | 4,249.00 | 4,249.00 | 4,249.00 | |
| 3m Pair | 2,790.00 | 2,790.00 | 2,790.00 | 5,580.00 | 4,799.99 | 4,799.99 | 4,799.99 | |
| 4m Pair | 3,290.00 | 3,290.00 | 3,290.00 | 6,580.00 | 5,899.00 | 5,899.00 | 5,899.00 | |
| Other prepared lengths use formula (per pair) | 500.00/m + 1,290.00 | | 500.00/m + 1,290.00 | | 1,000.00/m + 2,580.00 | | 1,100.00/m + 1,499.00 | |

Speaker Cables: ThunderBird (Mythical Creatures)



| Model | ThunderBird ZERO ● 72v DBS | ThunderBird BASS ● 72v DBS | ThunderBird ZERO BiWire COMBO (ZERO + BASS) ● 72v DBS |
|---|--|---|---|
| Metal | Solid Perfect-Surface Copper+ (PSC+) | Solid PSC+ Sonic-Signature Conductors and LGC | Refer to Specs for ZERO and BASS |
| Gauge | 5.26mm ² | | |
| Geometry | ZERO-Tech (No Characteristic Impedance) | | |
| Noise-Dissipation | Multi-Layer Carbon-Based Noise-Dissipation | RF/ND-Tech | |
| Jacket | Blue/Black Braid | | |
| Application Options | Full-Range, or BiWire COMBO (when combined with BASS cable) | BiWire COMBO (when combined with ZERO cable) | |
| Plug Options (1000 Series, Silver) | AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade | | |
| Prepared Lengths | UK Retail | UK Retail | UK Retail |
| 2m Pair | 4,500.00 | 3,700.00 | 8,200.00 |
| 2.5m Pair | 5,150.00 | 4,150.00 | 9,300.00 |
| 3m Pair | 5,800.00 | 4,600.00 | 10,400.00 |
| 4m Pair | 7,100.00 | 5,500.00 | 12,600.00 |
| Other prepared lengths use formula (per pair) | 1,300.00/m + 1,900.00 | 900.00/m + 1,900.00 | 2,200.00/m + 3,800.00 |

Speaker Cables: FireBird (Mythical Creatures)



| Model | FireBird ZERO ● 72v DBS | FireBird BASS ● 72v DBS | FireBird BiWire COMBO (ZERO + BASS) ● 72v DBS |
|---|--|--|---|
| Metal | Solid Perfect-Surface Silver (PSS) Sonic-Signature Conductors and Perfect-Surface Copper+ (PSC+) | | Refer to Specs for ZERO and BASS |
| Gauge | 5.26mm ² | | |
| Geometry | ZERO-Tech (No Characteristic Impedance) | | |
| Noise-Dissipation | Multi-Layer Carbon-Based Noise-Dissipation | RF/ND-Tech | |
| Jacket | Dark Red/Black Braid | | |
| Application Options | Full-Range, or BiWire COMBO (when combined with BASS cable) | BiWire COMBO (when combined with ZERO cable) | |
| Plug Options (1000 Series, Silver) | AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade | | |
| Prepared Lengths | UK Retail | UK Retail | UK Retail |
| 2m Pair | 13,100.00 | 9,700.00 | 22,800.00 |
| 2.5m Pair | 15,900.00 | 11,650.00 | 27,550.00 |
| 3m Pair | 18,700.00 | 13,600.00 | 32,300.00 |
| 4m Pair | 24,300.00 | 17,500.00 | 41,800.00 |
| Other prepared lengths use formula (per pair) | 5,600.00/m + 1,900.00 | 3,900.00/m + 1,900.00 | 9,500.00/m + 3,800.00 |

Speaker Cables: Dragon (Mythical Creatures)



| Model | Dragon ZERO ● 72v DBS | | Dragon BASS ● 72v DBS | Dragon BiWire COMBO (ZERO + BASS) ● 72v DBS |
|---|--|--|--------------------------|---|
| Metal | Solid Perfect-Surface Silver (PSS) Sonic-Signature Conductors and Perfect-Surface Copper+ (PSC+) | | | |
| Gauge | 5.26mm ² | | | |
| Geometry | ZERO-Tech (No Characteristic Impedance) | | | |
| Noise-Dissipation | Multi-Layer Carbon-Based Noise-Dissipation | RF/ND-Tech | | |
| Jacket | Black Braid | | | |
| Application Options | Full-Range, or BiWire COMBO (when combined with BASS cable) | BiWire COMBO (when combined with ZERO cable) | | |
| Plug Options (1000 Series, Silver) | AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade | | | |
| Prepared Lengths | UK Retail | UK Retail | UK Retail | UK Retail |
| 2m Pair | 24,300.00 | 18,700.00 | 43,000.00 | 52,800.00 |
| 2.5m Pair | 29,900.00 | 22,900.00 | 62,600.00 | 82,200.00 |
| 3m Pair | 35,500.00 | 35,500.00 | | |
| 4m Pair | 46,700.00 | | | |
| Other prepared lengths use formula (per pair) | 11,200.00/m + 1,900.00 | 8,400.00/m + 1,900.00 | 19,600.00/m + 3,800.00 | |

Speaker Cable Accessories

Bare Naked BiWire Jumpers

Solid PSC+ conductors offer dramatically superior performance to stamped jumpers.



Set of 4 (8.9 cm each)
UK Retail: 44.95

ThunderBird and Dragon BiWire Jumpers

Direction-Controlled Solid Perfect-Surface Copper+ (PSC+) Perfect-Surface Silver (PSS) and Carbon-Loaded Insulation. Available in Spade-Spade, Spade-Banana, Banana-Spade, and Banana-Banana.



ThunderBird (PSC+) uses Hanging-Silver 500 Series Bananas or Spades.

Set of 4 (20 cm each)
UK Retail: 349.00



Dragon (PSS) uses Hanging-Silver 1000 Series Bananas or Spades.

Set of 4 (20cm each)
UK Retail: 699.00

Fog Lifters

Reduce the RF noise that capacitively couples into cables through all solid materials (carpet, stone, wood, etc.)



Set of 8
UK Retail: 129.95

Binding-Post Wrench

Real tool-quality double-ended nut driver with metal inserts. Fits 11.11 mm and 12.7mm binding posts.




UK Retail: 17.95

Using BiWire Jumpers with Full-Range Cables on BiWire Capable Speakers


3-Way or Panel-Hybrid Speaker
Please connect amp. directly to the critical midrange and tweeter Treble input, and then jumper down to the Bass input.

2-Way Speaker
To maintain the speaker design's delicate midrange/tweeter relationship, please connect signal to Treble (+) and Bass (-).



Treble

Bass



Audio Interconnect Cables

The Higher You Climb, The Less You Hear?

The evolution of AudioQuest's audio cables is a steady climb up a mountain whose summit we'll never reach — there is always room for improvement and growth, as evidenced by our new Mythical Horses and Mythical Creatures interconnects. Perhaps less intuitive is the fact that climbing up our Analog Interconnect line means you hear less of the cable.

The reason is simple: As more of the delicate audio signal is protected from damage along the way, the listener experiences more of the truth and emotional impact of the music. Greater faithfulness to the audio signal is made possible by the use of superior materials and the careful implementation of increasingly sophisticated design and construction techniques.

Music is wonderfully complex, and our ears are very sensitive to its nuances. The remarkably affordable Bridges & Falls Series is an amazing place to start the journey. For those who want better performance and can sacrifice the physical flexibility and diverse connectivity options afforded by Bridges & Falls, the Rivers and Elements are excellent choices. Every step up the ladder to the state-of-the-art Mythical Creatures Series delivers even more clarity, smoother and more natural sound, greater dynamic slam, and more nuanced expression from the music.

As you climb with your customers, you'll hear progressions in metal, from Solid Long-Grain Copper to Perfect-Surface Copper+, and PSS Silver; in Geometry, from Double- to Triple-Balanced; in insulation, from Foamed-PE to FEP Air-Tubes; and in Noise-Dissipation techniques, from Metal-Layer to Carbon-Layer to Graphene/Carbon Mesh-Network and our patented Dielectric-Bias System. And finally, in our newest "Mythical" interconnects, ZERO-Tech, which eliminates the cable's characteristic impedance for an even more "invisible" sonic signature.

Throughout the line, the AQ performance-driven value system is always 100% evident. Climb until the incremental cost of the higher model is no longer the least expensive way to make the most improvement — but don't be surprised if your customers find themselves at the top of the line before reaching that point!



Angel



Pegasus



Yosemite



Black Beauty



Sydney



Yukon



Big Sur



Mackenzie



Golden Gate



Red River



Evergreen



Chicago



Dragon

ThunderBird

Audio Interconnect Cables: Bridges & Falls

Tower and Golden Gate also available in Installer 5-Packs, page 59.



| Model | Tower | Evergreen | Golden Gate | Big Sur | Sydney | Angel SE | Angel 72v DBS |
|--|---|-------------------|------------------------------------|---|--|---|-------------------|
| Metal | Solid Long-Grain Copper (LGC) | | Solid Perfect-Surface Copper (PSC) | Solid Perfect-Surface Copper+ (PSC+) | | Solid Perfect-Surface Silver (PSS) | |
| Geometry | Asymmetrical Double-Balanced (Lower Impedance on Ground, Same Quality + and - Conductors) | | | | | | |
| Dielectric | Foamed-Polyethylene | | | | Polyethylene Air-Tubes | | FEP Air-Tubes |
| Noise-Dissipation | Metal-Layer Noise-Dissipation | | | | Carbon-Based Noise-Dissipation | | |
| Jacket | Black with White Stripes PVC | Green/Black Braid | Red/Black Braid | Brown/Black Braid | Dark Gray/Black Braid | Silver/Black Braid | |
| Termination | Cold-Welded, Gold-Plated | | | Cold-Welded, Gold-Plated Pure Purple Copper | Cold-Welded, Direct-Silver Plated Pure Purple Copper | Cold-Welded, Direct-Silver Plated Pure Red Copper | |
| Application | Limited or no availability of 1,5m lengths, please contact AQ before ordering. | | | | | | |
| 3,5mm Male Mini - 2-Male RCA | | | | Yes | | | |
| 2-Male RCA - 2-Male RCA | | | | Yes | | | |
| 3,5mm Male Mini - 3,5mm Male Mini | | | | Yes | | | |
| 3,5mm Male Mini - 3,5mm Female Mini | 3m and 5m Only | No | 2m and 5m Only | No | No | Yes | |
| 3,5mm Male Mini - 5 Pin DIN | No | | | | Yes | | |
| 5 Pin DIN - 5 Pin DIN | No | | | | Yes | | |
| 5 Pin DIN - 2-Male RCA | No | | | | Yes | | |
| Length | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 0.6m | 38.95 | 69.95 | 99.95 | 144.00 | 219.00 | 424.00 | 624.00 |
| 1m | 42.95 | 79.95 | 109.95 | 154.00 | 239.00 | 499.00 | 694.00 |
| 1.5m | 46.95 | 94.95 | 119.95 | 174.00 | 279.00 | 579.00 | 781.50 |
| 2m | 49.95 | 104.95 | 129.95 | 189.00 | 309.00 | 669.00 | 869.00 |
| 3m | 59.95 | 114.95 | 159.95 | 219.00 | 379.00 | 844.00 | 1,044.00 |
| 5m | 76.95 | 139.95 | 199.95 | 279.00 | 519.00 | 1,194.00 | 1,394.00 |
| 8m | 99.95 | 199.95 | 259.95 | 369.00 | 729.00 | 1,719.00 | 1,919.00 |
| 12m | 135.95 | 259.95 | 349.95 | 489.00 | 1,009.00 | 2,419.00 | 2,619.00 |
| 16m | 169.95 | 319.95 | 429.95 | 599.00 | 1,279.00 | 3,119.00 | 3,319.00 |
| 20m | 199.95 | 369.95 | 519.95 | 739.00 | 1,569.00 | 3,819.00 | 4,019.00 |
| Other prepared lengths use formula: | - | - | - | - | - | 175.00/m + 319.00 | 175.00/m + 519.00 |

Audio Interconnect Cables: Rivers



| Model | Chicago | Red River | | Mackenzie | | Yukon | |
|--|--|-----------------------------------|--------------------------------------|-----------------------------------|-----------------------------------|------------------------------------|------------------------------------|
| | RCA | RCA | XLR | RCA | XLR | RCA | XLR |
| Metal | Solid Long-Grain Copper (LGC) | | Solid Perfect-Surface Copper+ (PSC+) | | | | |
| Technology | N/A | | | | | | |
| Ground Reference | All Cables Have Separate Ground-Reference Conductors Plus One Signal Conductor for RCA and Two for XLR | | | | | | |
| Dielectric | Hard-Cell Foamed Polyethylene | | | | | Polyethylene Air-Tubes | |
| Noise-Dissipation | Direction-Controlled Conductors | | | Carbon Mesh-Network | | | |
| Jacket | Green/Black Braid | Red/Black Braid | | Brown/Black Braid | | Black/Dark Gray Braid | |
| Plug Barrels | N/A | | | | | | |
| Cold-Welded Plugs | Gold-Plated | | | Hanging-Silver over Purple Copper | | | |
| Length (Pair) | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 0.5m | 119.95 | 199.95 | 254.95 | 294.00 | 354.00 | 419.00 | 489.00 |
| 0.75m | 124.95 | 209.95 | 267.45 | 306.50 | 371.50 | 449.00 | 529.00 |
| 1m | 129.95 | 219.95 | 279.95 | 319.00 | 389.00 | 479.00 | 569.00 |
| 1.5m | 139.95 | 239.95 | 304.95 | 344.00 | 424.00 | 539.00 | 649.00 |
| 2m | 149.95 | 259.95 | 329.95 | 369.00 | 459.00 | 599.00 | 729.00 |
| 3m | 169.95 | 299.95 | 379.95 | 419.00 | 529.00 | 719.00 | 889.00 |
| 4m | 189.95 | 339.95 | 429.95 | 469.00 | 599.00 | 839.00 | 1,049.00 |
| 5m | 209.95 | 379.95 | 479.95 | 519.00 | 669.00 | 959.00 | 1,209.00 |
| 6m | 229.95 | 419.95 | 529.95 | 569.00 | 739.00 | 1,079.00 | 1,369.00 |
| For longer lengths, please use formula: | 20.00/pair m + 109.95/pair | 40.00/pair m + 179.95/pair | 50.00/pair m + 229.95/pair | 50.00/pair m + 269.00/pair | 70.00/pair m + 319.00/pair | 120.00/pair m + 359.00/pair | 160.00/pair m + 409.00/pair |

| Bulk Cables | Chicago | Red River | Mackenzie |
|-------------|---------|-----------|-----------|
| 50m Spool | - | - | 35.00/m |
| 100m Spool | 10.00/m | 25.00/m | - |

Bulk Chicago, Red River, and Mackenzie cables available braided or CL3/FT4 PVC. See page 60.

Audio Interconnect Cables: Mythical Horses

In order to preserve ZERO-Tech's complete isolation between signal conductors, a Double-DBS pack is included for Pegasus XLR cables.



| Model | Black Beauty* | | Pegasus* | |
|--------------------------------------|--|-----------------------------|-------------------------------------|-------------------------------|
| | RCA | XLR | RCA ● 72v DBS | XLR Double ● 72v DBS |
| Metal | Solid Perfect-Surface Copper+ (PSC+) | | | |
| Technology | ZERO-Tech (No Characteristic Impedance) | | | |
| Ground Reference | All Cables Have Separate Ground-Reference Conductors Plus One Signal Conductor for RCA and Two for XLR | | | |
| Dielectric | Hard-Cell Foamed Polyethylene | | Polypropylene Air-Tubes | |
| Noise-Dissipation | ZERO-Tech + Graphene/Carbon | | 72v DBS + ZERO-Tech Graphene/Carbon | |
| Jacket | Black/Black Braid | | Brown/Black Braid | |
| Plug Barrels | Copper-Plated RF-Draining | | | |
| Cold-Welded Plugs | Hanging-Silver over Red Copper | | | |
| Length (Pair) | UK Retail | UK Retail | UK Retail | UK Retail |
| 0.6m | 719.00 | 899.00 | 1,399.00 | 1,659.00 |
| 1m | 799.00 | 1,039.00 | 1,569.00 | 1,899.00 |
| 1.5m | 899.00 | 1,209.00 | 1,779.00 | 2,199.00 |
| 2m | 999.00 | 1,379.00 | 1,989.00 | 2,499.00 |
| 3m | 1,199.00 | 1,719.00 | 2,409.00 | 3,099.00 |
| 4m | 1,399.00 | 2,059.00 | 2,829.00 | 3,699.00 |
| 5m | 1,599.00 | 2,399.00 | 3,249.00 | 4,299.00 |
| 6m | 1,799.00 | 2,739.00 | 3,669.00 | 4,899.00 |
| Other prepared lengths, use formula: | 200.00/pair m + 599.00/pair | 340.00/pair m + 699.00/pair | 420.00/pair m + 1,149.00/pair | 600.00/pair m + 1,299.00/pair |

*ZERO-Tech interconnects (Black Beauty and Pegasus) are not suitable for use from a turntable.

Audio Interconnect Cables: Mythical Creatures

In order to preserve ZERO-Tech's complete isolation between signal conductors, a Double-DBS pack is included for XLR cables.



| Model | ThunderBird* | | FireBird* | Dragon* | |
|--------------------------------------|---|---------------------------------|------------------------------------|--|---------------------------------|
| | RCA 72v DBS | XLR Double 72v DBS | RCA 72v DBS | RCA 72v DBS | XLR Double 72v DBS |
| Metal | Solid Perfect-Surface Copper+ (PSC+) | | Solid Perfect-Surface Silver (PSS) | | |
| Technology | ZERO-Tech (No Characteristic Impedance), ZERO-Tech Cables do not work as turntable cables with moving coil cartridges | | | | |
| Dielectric | FEP Air-Tubes | | | | |
| Noise-Dissipation | ZERO-Tech + 72v DBS + Graphene/Carbon Mesh-Network | | | PSS Drains + ZERO-Tech + 72v DBS + Graphene/Carbon | |
| Jacket | Blue/Black Braid | | Red/Black Braid | Black/Black Braid | |
| Plug Barrels | Copper-Plated RF-Draining | | Silver-Plated RF-Draining | | |
| Plug Contacts | Hanging-Silver over Red-Copper | | | | |
| Length (Pair) | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 0.5m | 2,299.00 | 3,149.00 | 4,349.00 | 6,799.00 | 8,249.00 |
| 0.75m | 2,599.00 | 3,574.00 | 5,074.00 | 7,849.00 | 9,624.00 |
| 1m | 2,899.00 | 3,999.00 | 5,799.00 | 8,899.00 | 10,999.00 |
| 1.5m | 3,499.00 | 4,849.00 | 7,249.00 | 10,999.00 | 13,749.00 |
| 2m | 4,099.00 | 5,699.00 | 8,699.00 | 13,099.00 | 16,499.00 |
| 2.5m | 4,699.00 | 6,549.00 | 10,149.00 | 15,199.00 | 19,249.00 |
| 3m | 5,299.00 | 7,399.00 | 11,599.00 | 17,299.00 | 21,999.00 |
| 4m | 6,499.00 | 9,099.00 | 14,499.00 | 21,499.00 | 27,499.00 |
| 5m | 7,699.00 | 10,799.00 | 17,399.00 | 25,699.00 | 32,999.00 |
| 6m | 8,899.00 | 12,499.00 | 20,299.00 | 29,899.00 | 38,499.00 |
| Other prepared lengths, use formula: | 1,200.00/pair m + 1,699.00/pair | 1,700.00/pair m + 2,299.00/pair | 2,900.00/pair m + 2,899.00/pair | 4,200.00/pair m + 4,699.00/pair | 5,500.00/pair m + 5,499.00/pair |

*ZERO-Tech interconnects are not suitable for use from a turntable.

Audio Interconnect Accessories



FLX-Mini Splitter
 3.5mm Mini Male Stereo >
 (2) 3.5mm Female Stereo
Metal: Solid Perfect-Surface
 Copper+ (PSC+)
Length: 15cm
UK Retail: 24.95



FLX-Mini/RCA Adaptor
 3.5mm Mini Male Stereo <>
 2 Female RCA (L & R)
Metal: Solid Perfect-Surface
 Copper+ (PSC+)
Length: 15cm
UK Retail: 24.95



Hard Mini/RCA Adaptor
 Hard Mini 3.5mm Male <>
 2 Female RCA (L & R)
UK Retail: 17.95



FLX-X RCA Splitter
 RCA Male >
 2 Female RCA (L & R)
Metal: Solid Long-Grain
 Copper (LGC)
Length: 15cm
UK Retail: 22.95



FLX-X RCA Splitter
 RCA Female >
 2 Male (L & R)
Metal: Solid Long-Grain
 Copper (LGC)
Length: 15cm
UK Retail: 22.95



M21F-90 Adaptor
 Female RCA to Right Angle
 Male RCA
UK Retail: 11.95



Hard RCA Splitter
 Male RCA > 2 Female RCA
UK Retail: 19.95



RCA - RCA Coupler
 Female RCA <> Female RCA
UK Retail: 11.95



PreAmp Jumpers
 Solid Perfect-Surface Copper+ (PSC+) conductors in Polyethylene Air-
 Tubes. Replaces factory fitted "U" jumpers on integrated amps and receivers.
UK Retail: 46.95

Subwoofer Cables



| Model | Black Lab | Greyhound | Irish Red | Boxer | Husky | |
|--|--|--|--|--|--|------------------|
| | | | | | RCA ● 72v DBS | XLR ● 72v DBS |
| Metal | Solid Long-Grain Copper (LGC) | 0.5% Silver | Solid 0.5% Silver | Solid 1.25% Silver | Solid 5% Silver | |
| Geometry | Symmetrical Coax | HyperLitz Coax | Symmetrical Coax | Double-Balanced | Triple-Balanced | |
| Dielectric | Foamed-Polyethylene | | | Polyethylene Air-Tubes | | |
| Noise-Dissipation | Metal-Layer Noise-Dissipation | | | Carbon-Based Noise-Dissipation | Carbon-Based Multi-Layer Noise-Dissipation | |
| Jacket | Black with White Stripes CL3/FT4 Rated PVC | Light Gray-Striped White CL3/FT4 Rated PVC | Up to 5m: Red/Black Braid 8m and Longer CL3/FT4 Rated: Black PVC with Red Stripes | Up to 5m: Brown/Black Braid 8m and Longer CL3/FT4 Rated: Black PVC with Brown Stripes | Blue/Black Braid or CL3/FT4 Rated Black PVC with Blue Stripes (Any Length) | |
| Termination | Cold-Welded, Gold-Plated | | | Cold-Welded, Hanging-Silver directly over pure Red Copper | | |
| Application - Attached Chassis-Ground Connector | | | | | | |
| RCA - RCA | Yes | | | | | |
| RCA/XLR Mixed | No | | | | Yes | |
| Meters | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 2m | 49.95 | 69.95 | 99.95 | 199.00 | 429.00 | 469.00 |
| 3m | 59.95 | 79.95 | 114.94 | 229.00 | 499.00 | 539.00 |
| 5m | 79.95 | 94.95 | 139.95 | 299.00 | 639.00 | 679.00 |
| 8m | 104.95 | 119.95 | 169.95 | 399.00 | 849.00 | 889.00 |
| 12m | 129.95 | 159.95 | 219.95 | 519.00 | 1,129.00 | 1,169.00 |
| 16m | 164.95 | 189.95 | 279.95 | 649.00 | 1,409.00 | 1,449.00 |
| 20m | 199.95 | 229.95 | 329.95 | 779.00 | 1,689.00 | 1,729.00 |
| Other prepared lengths use formula: | - | - | - | - | 70.00/m + 289.00 | 70.00/m + 329.00 |

Note: Greyhound is optimized for custom-installation projects that require its thin, discreet design. It does not include a chassis-ground connector.

Tonearm Cables



| Model | Golden Gate | Angel SE | Angel ● 72v DBS |
|--|------------------------------------|------------------------------------|--------------------|
| Metal | Solid Perfect-Surface Copper (PSC) | Solid Perfect-Surface Silver (PSS) | |
| Dielectric | Foamed-Polyethylene | FEP Air-Tubes | |
| Noise-Dissipation | N/A | Carbon-Based Noise-Dissipation | |
| Capacitance | Less than 90pF/1,5M | | |
| Jacket | Red/Black Braid | Silver/Black Braid | |
| Length | UK Retail | UK Retail | UK Retail |
| 1.2m | - | 539.00 | 729.00 |
| 1.5m | 139.95 | | |
| Other prepared lengths use formula: | - | 175.00/m + 329.00 | 175.00/m + 519.00 |

Turntable Cables



| Model | Golden Gate | Angel SE | Angel ● 72v DBS |
|--------------------------|------------------------------------|------------------------------------|--------------------|
| Metal | Solid Perfect-Surface Copper (PSC) | Solid Perfect-Surface Silver (PSS) | |
| Dielectric | Foamed-Polyethylene | FEP Air-Tubes | |
| Noise-Dissipation | N/A | Carbon-Based Noise-Dissipation | |
| Capacitance | Less than 90pF/1.5M | | |
| Jacket | Red/Black Braid | Silver/Black Braid | |
| Length | UK Retail | UK Retail | UK Retail |
| 1.2m | - | 543.00 | 1,115.00 |
| 1.5m | 139.95 | - | - |



2158

pure ll antistatic

audioquest

field gold contacts

99

Vinyl and Headphone Accessories

GroundGoody Tonearm & Ground Wires

Unlike other ground wires that act as radio-frequency antennas, Black Hole, ThunderBird and Dragon GroundGoodys prevent hum while efficiently dissipating radio-frequency noise. GroundGoodys use premium conductor materials that are controlled for direction and cold-welded to Direct-Silver Plated #10 size spade lugs. Further, AudioQuest's RF/ND-Tech dissipates and cancels most induced radio-frequency noise.



Black Hole GroundGoody

Solid 6% Silver + Carbon RF Trap

| Meters | UK Retail |
|--------|-----------|
| 0.75m | 49.00 |
| 1.5m | 59.00 |
| 2.25m | 69.00 |
| 3m | 79.00 |
| 5m | 99.00 |



ThunderBird GroundGoody

Solid 6% Silver + RF/ND-Tech

| Meters | UK Retail |
|--------|-----------|
| 0.6m | 99.00 |
| 1m | 119.00 |
| 1.5m | 139.00 |
| 2m | 159.00 |
| 3m | 199.00 |



Dragon GroundGoody

Solid Perfect-Surface Silver + RF/ND-Tech

| Meters | UK Retail |
|--------|-----------|
| 0.6m | 199.00 |
| 1m | 279.00 |
| 1.5m | 379.00 |
| 2m | 459.00 |
| 3m | 649.00 |



Silver Anti-Static Record Brush

1,086,000 Highly Conductive Carbon Fibers with No-Resistance Path to Finger-Grip


UK Retail: 17.95



Gold Anti-Static Record Brush

1,248,000 Highly Conductive Carbon Fibers with No-Resistance Path to Finger-Grip

UK Retail: 29.95



HL-5 Headshell Leads

Silk-wrapped Linear-Crystal Copper Litz Conductors

Set of 4

UK Retail: 59.95



NightBird Headphone Cable

- Fits NightHawk and NightOwl Headphones
- Perfect-Surface Copper+ (PSC+)
- Noise-Dissipation
- Robust: Tested to 28,000 bends

| Meters | UK Retail |
|--------|-----------|
| 3m | 89.00 |



Perch Headphone Stand

- Easily and safely accommodates all headphones
- High-quality materials
- Heavy base provides stability

UK Retail: 89.00

HDMI Cables

Does AudioQuest offer the right HDMI cables for 4K TVs, 8K TVs, and beyond?

Yes! All of AudioQuest's new 48Gbps HDMI cables can transfer up to professional 10K Ultra-HD video. The impressive 48Gbps data rate is made possible by four balanced audio/video pairs capable of 12Gbps each. And, of course, the latest technology is backwards compatible with 4K displays.

Video Up to 10K

AudioQuest 48Gbps HDMI cables are completely backwards compatible with existing devices and have the bandwidth required for video with resolutions up to 10K and resolutions/refresh rates up to 8K/60 and 4K/120.

HDR (High Dynamic Range)

All AudioQuest HDMI cables support HDR (High Dynamic Range) and Dynamic HDR. HDR content expands the contrast of the image for blacker blacks and brighter whites/highlights as well as greater color saturation and brightness. In addition, 4K Ultra-HD content allows for a wider color range.

This combination of technologies results in more realistic HDR images with greater perceived depth. Dynamic HDR (HDR10+ and Dolby Vision, for example) enables frame-by-frame HDR optimization rather than HDR settings that are fixed for the entire program. The most prominent current HDR formats are HDR10, HDR10+, and Dolby Vision.

AudioQuest 18Gbps and 48Gbps HDMI cables are compatible with all varieties of HDR, which can be found on Ultra-HD Blu-ray, and all major streaming services, including Netflix, Amazon Prime, Disney+, Apple TV+, and others.

ARC (Audio Return Channel) and eARC (enhanced Audio Return Channel)

HDMI's Audio Return Channel (ARC) sends audio from a TV to a soundbar or AV receiver for greater simplicity and flexibility in system setup. Hardware's previous ARC capabilities max out at lossy (compressed) 5.1-channel surround sound.

Today's HDMI 2.1 hardware supports enhanced Audio Return Channel (eARC), which increases the digital bandwidth dramatically to support uncompressed and lossless high-resolution multichannel audio, including Dolby TrueHD and Atmos, and DTS-HD Master Audio and DTS: X.

8K-10K



48G_{bps}

Not only do all current generations of AudioQuest HDMI cables have the conductors and bandwidth required for eARC's enhanced sonic capabilities, but, in order to ensure superior audio performance, the ARC-channel conductor-pair is internally controlled for direction, running in the opposite direction from the 4 pairs that carry information to the TV.

Finally, AudioQuest's eARC-Priority models include 4 Silver-Plated Forest 48-level audio/video data pairs—but with a far superior single data pair for the TV's audio output. By upgrading the ARC data path only, audiophile quality is made possible at a fraction of the cost of upgrading all 5 data pairs.



New Packaging

AudioQuest has turbo-charged all of its HDMI packaging with easy-to-read icons and explanations of the design and material elements that define each cable and its place in the line. Comparing, contrasting and selecting the right cable is easier than ever before.



| | | | | |
|---|--|--|--|--|
| <p>1.25% SILVER</p> <p>Solid Conductors</p> | <p>LEVEL 3 Carbon Mesh-Network</p> <p>Noise Dissipation</p> | <p>eARC</p> <p>1.25% Silver Level-3 ND</p> | <p>Limited</p> <p>Lifetime Warranty</p> | <p>ULTRA Certified Cable</p> <p>HDMI™ ULTRA HIGH SPEED</p> <p>BCDFG123456 www.HDMI.org</p> |
| <p>Solid Long-Grain Copper, Silver-Plated Copper, or Perfect-Surface Silver maximize Noise-Dissipation and overall performance.</p> | <p>Six Levels of Noise-Dissipation (ND) combat distortion caused by RF Noise contaminating digital and analog circuitry.</p> | <p>Because sound is where all the emotion and drama comes from, AQ's eARC channel gets 100% the same love as the four AV channels.</p> | <p>We've got your back. Performance backed by reliability.</p> | |

HDMI: 0.75m–5m Cables

18Gbps 4K and 48Gbps 8K-10K

- All models use Solid Signal and Ground-Reference Conductors.
- All 19 conductors (A/V, eARC, Ground-Reference Drains, Control, Power) are Direction-Controlled.
- AudioQuest "48" HDMI cables have the bandwidth required for video with resolutions up to 10K, resolutions/refresh rates up to 8K/60 and 4K/120.
- For long-length models (Pearl 18, Forest 18, Root Beer 18, Cherry Cola 18, and Cherry Cola 48), see page 38.

BlueBerry 18, Pearl 48, Forest 48, and Cinnamon 48 available in Installer 5-Packs, page 60.



| Model | BlueBerry 18 | Pearl 48 | Forest 48 | Cinnamon 48 | Carbon 48 | Vodka 48 | ThunderBird 48 | FireBird 48 ● 72v DBS | Dragon 48 ● 72v DBS |
|--------------------------|--|------------------|------------------|----------------------------|----------------------------|----------------------------|--------------------------------------|---|------------------------|
| A/V Conductor | Solid Long-Grain Copper (LGC) | | 0.5% Silver | 1.25% Silver | 5% Silver | 10% Silver | 10% Silver | 100% PSS Silver | 100% PSS Silver |
| eARC Conductor | Solid Long-Grain Copper (LGC) | | 0.5% Silver | 1.25% Silver | 5% Silver | 10% Silver | 10% Silver | 100% PSS Silver | 100% PSS Silver |
| Ground Reference | Tinned Copper | | | 0.5% Silver | 1.25% Silver | 5% Silver | 10% Silver | 10% Silver | 100% PSS Silver |
| Noise-Dissipation | All 19 Conductors Direction-Controlled | | | Carbon + Metal + Direction | Carbon + Metal + Direction | Carbon + Metal + Direction | Graphene + Global Carbon + Direction | 72v DBS, Graphene + Global Carbon + Direction | |
| Jacket 0.6-2m | CMG (CL3/FT4) PVC | | | Red Braid | Carbon Braid | Blue Braid | Blue Braid | Red Braid | Black Braid |
| Jacket 3m | CMG (CL3/FT4) PVC | | | Red Braid or PVC | Carbon Braid | Blue Braid | Blue Braid | Red Braid | Black Braid |
| Jacket 5m | CMG (CL3/FT4) PVC | | | - | - | - | - | - | - |
| Length | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 0.6m | 29.95 | 34.95 | 69.95 | 119.95 | 189.00 | 449.00 | 739.00 | 1,359.00 | 1,949.00 |
| 1m | 34.95 | 39.95 | 84.95 | 149.95 | 209.00 | 499.00 | 869.00 | 1,499.00 | 2,289.00 |
| 1.5m | 39.95 | 44.95 | 104.95 | 169.95 | 259.00 | 549.00 | 999.00 | 1,749.00 | 2,699.00 |
| 2m | 44.95 | 54.95 | 119.95 | 199.95 | 319.00 | 599.00 | 1,129.00 | 1,999.00 | 3,109.00 |
| 3m | 54.95 | 69.95 | 149.95 | 259.95 | 419.00 | 739.00 | 1,389.00 | 2,699.00 | 3,989.00 |
| 5m | 94.95 | 169.95 | 299.95 | 429.95 | - | - | - | - | - |

HDMI: Long-Length Cables

18Gbps 4K and 48Gbps 8K-10K

- Pearl 18 and Forest 18 employ active frequency equalization to enable 18Gbps performance for lengths up to 15m.
- Root Beer 18 active optical cable provides 18Gbps performance for lengths up to 30m.
- Certified Ultra High Speed by HDMI Licensing, Cherry Cola 48 active optical cables provide 48Gbps performance for lengths up to 50ft.



| Model | Pearl 18 Long Distance | Forest 18 Long Distance | Root Beer 18 Optical | Cherry Cola 48 Optical |
|--------------------------|--|----------------------------|--------------------------------|-----------------------------|
| A/V Conductor | LGC | 0.5% Silver | Quartz-Glass | Quartz-Glass |
| eARC Conductor | LGC | 0.5% Silver | LGC | 0.5% Silver |
| Ground Reference | Tinned Copper | | | 0.5% Silver |
| Noise-Dissipation | All 19 Conductors Direction-Controlled | | Galvanic Isolation + Direction | Carbon + Galvanic Isolation |
| Jacket | CMG (CL3/FT4) PVC | | | |
| Length | UK Retail | UK Retail | UK Retail | UK Retail |
| 5m | - | - | 469.95 | 939.00 |
| 7.5m | 229.95 | 339.95 | - | - |
| 10m | 289.95 | 429.95 | 519.95 | 1,069.00 |
| 12.5m | 349.95 | 519.95 | - | - |
| 15m | 409.95 | - | 569.95 | 1,199.00 |
| 20m | - | - | 619.95 | - |
| 25m | - | - | 669.95 | - |
| 30m | - | - | 719.95 | - |

HDMI: eARC-Priority Cables

48Gbps 8K-10K


- When using a TV's eARC/ARC output as the audio source to a soundbar or an A/V receiver or an amplifier's ARC input, eARC-Priority models offer their namesake models ARC performance for less than half the price of the namesake model. This is possible because the cables' unused A/V data pairs "only" offer better-than-Cinnamon 48 performance.



| Model | Vodka eARC Priority 48 | ThunderBird eARC Priority 48 | Dragon eARC Priority 48 72v DBS |
|--------------------------|----------------------------|--------------------------------------|---|
| A/V Conductor | 0.5% Silver | 0.5% Silver | 0.5% Silver |
| eARC Conductor | 10% Silver | 10% Silver | 100% PSS Silver |
| Ground Reference | 5% Silver eARC | 10% Silver eARC | 100% PSS Silver eARC |
| Noise-Dissipation | Carbon + Metal + Direction | Graphene + Global Carbon + Direction | 72v DBS, Graphene + Global Carbon + Direction |
| Jacket 0.75-2m | Blue Braid | Blue Braid | Black Braid |
| Jacket 3m | CMG (CL3/FT4) PVC | | |
| Length | UK Retail | UK Retail | UK Retail |
| 0.6m | 199.00 | 439.00 | 939.00 |
| 1m | 229.00 | 479.00 | 999.00 |
| 1.5m | 259.00 | 519.00 | 1,119.00 |
| 2m | 299.00 | 559.00 | 1,379.00 |
| 3m | 349.00 | 659.00 | 1,699.00 |


HDMI Accessories

Certain HDMI Adaptors available in Installer 5-Packs, page 60.



HDMI 90°/W Adaptor
Wide Side [W]
Right Angle Bend

UK Retail: 17.95




HDMI 90°/N Adaptor
Narrow Side [N]
Right Angle Bend

UK Retail: 17.95



HDMI 90° NU/R Flat Adaptor
Narrow Up [NU]
Bends Right

UK Retail: 17.95



HDMI 90° NU/L Flat Adaptor
Narrow Up [NU]
Bends Left

UK Retail: 17.95



HDMI A ↔ A Coupler
Female HDMI to Female HDMI

UK Retail: 17.95



Mini Display Port to HDMI 4K Adaptor

UK Retail: 34.95



DVI-IN > HDMI-OUT Adaptor

F-DVI to M-HDMI

UK Retail: 34.95

Digital-Audio Interconnect Cables

Perfect Sound Forever?

That bold statement introduced CD players to the world back in 1983. Those claiming perfection believed ones and zeros to be so beyond reproach that traditional concerns about the integrity of the playback system had become irrelevant overnight. But the CD wasn't close to perfect. Those who listened quickly figured out that the equipment and cables in the audio system mattered every bit as much as they had in the analog era.

However, to this day, stating the truth in public that digital-audio cables can make minor to even staggering differences in an audio system's performance is like yelling, "food fight" in a crowded cafeteria—you'd better get ready to duck because there will be incoming.

Yet, the same kind of music lovers and listeners who heard the CD for what it is also know that soul-satisfying digital-audio playback requires the best digital-audio cables. And the best cables reduce the most noise and distortion.

Today, there are more ways to consume digital audio than ever. Many gave up silver discs for the convenience of inferior-sounding compressed downloads, and now we've seemingly got the best of both convenience and performance: We are able to stream high-res files to our phones and mobile devices and into our homes.

AudioQuest's digital-audio cables employ all of our proven techniques for minimizing noise and distortion: better metals, better geometry, better dielectric, Dielectric-Bias System (DBS), Noise-Dissipation, Direction-Controlled Conductors, and other ingredients needed for optimizing each specific application.


The digital future is brighter and more beautiful sounding than ever...*if* your digital-audio cables are capable of treating fragile audio data as it deserves to be treated—that is, with the love and respect reserved for music.



USB Cables


All USB A - C, USB C - B, USB C - C, and Micro B cables are available in 0.75m and 1.5m lengths only.

For optimal sonic performance, all AudioQuest USB cables are Hi-Speed with a maximum signaling rate of 480Mbps.



| Model | Pearl | Forest | Cinnamon | Carbon | Coffee 72v DBS | Diamond 72v DBS |
|-----------------------------------|---|---|---|---|-------------------|--|
| Metal (USB A-B) | Solid Long-Grain Copper (LGC) | Solid 0.5% Silver | Solid 1.25% Silver | Solid 5% Silver | Solid 10% Silver | Solid 100% Perfect-Surface Silver (PSS) |
| Metal (All Other Versions) | Long-Grain Copper (LGC) Semi-Solid Concentric | 0.5% Silver Semi-Solid Concentric | 1.25% Silver Semi-Solid Concentric | 5% Silver Semi-Solid Concentric | N/A | Solid 100% Perfect-Surface Silver (PSS) |
| Dielectric | Hard-Cell Foam | | | | | |
| Noise-Dissipation | Metal-Layer Noise-Dissipation | | | Carbon-Based Noise-Dissipation for USB A - B and USB 3.0 A - 3.0 Micro | | |
| Jacket | Black PVC with White Stripes | Black PVC with Green Stripes | USB A-B: Red/Black Braid All others: Black PVC with Red Stripes | Gray/Black Braid | Brown/Black Braid | USB A-B: Silver/Black Braid All others: Black PVC with Silver Stripes |
| Available Configurations | USB A - B USB A - Micro B | USB A - B USB A - C USB A - Micro B 2.0 USB C - B USB C - C | USB A - B USB A - C USB A - Micro B 2.0 USB C - B USB C - C | USB A - B USB A - C USB A - Micro B 2.0 USB C - B USB C - C | USB A - B | USB A - B USB A - C USB A - Micro B 2.0 USB C - B USB C - C |
| Length | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 0.75m | 44.95 | 74.95 | 99.95 | 189.00 | 399.00 | 739.00 |
| 1.5m | 54.95 | 94.95 | 139.95 | 239.00 | 489.00 | 869.00 |
| 3m | 74.95 (A-B Only) | 119.95 (A-B Only) | 179.95 (A-B Only) | 339.00 (A-B Only) | 699.00 | 1,129.00 (A-B Only) |
| 5m | 109.95 (A-B Only) | 169.95 (A-B Only) | 219.95 (A-B Only) | 469.00 (A-B Only) | 869.00 | 1,559.00 (A-B Only) |

USB Connector Applications



USB Accessories



USB 3.1 Gen 2 C → A Adaptor

UK Retail: 21.95



USB B ↔ Micro B 2.0 Adaptor

UK Retail: 15.95



USB Mini B ↔ Micro B 2.0 Adaptor

UK Retail: 15.95

USB Extenders and Adaptors

DragonTail USB Extenders feature 5% Silver Solid Conductors and are Direction-Controlled for reduced RF noise.



DragonTail USB A 2.0 Extender

Female USB A to Male A

UK Retail: 25.95



DragonTail USB A to Micro Adaptor

Female USB A to Male Micro

UK Retail: 25.95




DragonTail A to C Adaptor

(included with DragonFly Cobalt)

UK Retail: 25.95

JitterBug FMJ USB 2.0 Noise Filter (Data & Power)




- Enables more spacious and compelling sound
- Dual Discrete Noise-Dissipation Circuits reduce all forms of internal noise in both the sending and receiving electronics
- Full Metal Jacket (FMJ) with hinged Carbon-Loaded Noise-Dissipation input cover protects against external noise
- Reduces jitter and packet errors
- Use one JitterBug in series with almost any USB DAC, including DragonFlies Black and Red; experiment with DragonFly Cobalt
- For an additional improvement, use a second JitterBug in parallel—always desirable with DragonFly Cobalt



UK Retail: 59.00

Optical Cables

Pearl, Forest, and Cinnamon available in Installer 5-Packs, page 59.



Optical Accessory



Optical Mini Adaptor

UK Retail: 15.95

| Model | Pearl | Forest | Cinnamon | Carbon | Vodka |
|-------------------|---|---|---|---|---|
| Conductors | Low-Dispersion Fiber | Low-Dispersion High-Purity Fiber | Lower-Dispersion Highest-Purity Fiber | 19 Narrow-Aperture Highest-Purity Synthetic Fibers | 217 Narrowest-Aperture Highest-Purity Synthetic Fibers |
| Jacket | Black with Gray Stripes In-Wall Rated PVC | 0.75m and 1.5m: Green/Black Braid 3m and Longer: In-Wall Rated PVC | 0.75m and 1.5m: Red/Black Braid 3m and Longer: In-Wall Rated PVC | 0.75m to 5m: Gray/Black Braid 8m and Longer: In-Wall Rated PVC | 0.75m to 5m: Blue/Black Braid 8m and Longer: In-Wall Rated PVC |
| Length | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 0.75m | 34.95 | 54.95 | 79.95 | 139.00 | 259.00 |
| 1.5m | 44.95 | 69.96 | 104.95 | 189.00 | 339.00 |
| 3m | 59.95 | 99.95 | 139.95 | 259.00 | 499.00 |
| 5m | 79.95 | 139.95 | 179.95 | 389.00 | 749.00 |
| 8m | 109.95 | 189.95 | 289.95 | 559.00 | 1,049.00 |
| 12m | 149.95 | 259.95 | 389.95 | 819.00 | 1,349.00 |
| 16m | 189.95 | 339.95 | 519.95 | 1,079.00 | 1,699.00 |

Pearl available in both 3.5mm Mini to Full-Size, and Full-Size to Full-Size.

Forest, Cinnamon, Carbon, and Vodka come in Full-Size to Full-Size with 3.5mm Mini Adaptor included.

Digital Coax Cables

Forest available in Installer 5-Packs, page 60.



RCA > BNC

Recommended for Forest through Diamond.

Fully acceptable for Wild and WEL when BNC needed only on one end, or to keep an RCA/RCA cable universally useful.

UK Retail: 16.95



| Model | Forest | Cinnamon | Carbon | Coffee ● 72v DBS | Diamond ● 72v DBS | WEL Signature |
|--|--|----------------------------|--|---|---|--------------------------------------|
| Metal | Solid 0.5% Silver | Solid 1.25% Silver | Solid 5% Silver | Solid 10% Silver | Solid 100% Perfect-Surface Silver (PSS) | |
| Gauge | 0.2mm ² | | | 0.41mm ² | | |
| Dielectric | Hard-Cell Foam | | | | | |
| Noise-Dissipation | Metal-Layer Noise-Dissipation | | Carbon-Based Multi-Layer Noise-Dissipation | | | Multi Carbon-Based Mesh-Networks |
| Jacket | Black PVC with Green Stripes | Red/Black Braid | Black/Dark Gray Braid | Brown/Black Braid | Silver/Black Braid | Black Braid |
| Terminations | Cold-Welded, Gold-Plated | | Cold-Welded, Hanging-Silver Directly Over Pure Purple Copper | Cold-Welded, Hanging-Silver Directly Over Pure Red Copper | | Direct-Silver Plated |
| Shield | Foil + Tinned Braid | Foil + Silver-Plated Braid | | Silver-Plated Braid | | Copper Foil + 100% PSS-Silver Spiral |
| Application | | | | | | |
| RCA | Yes | | | | | |
| BNC | No (Requires Female RCA to Male BNC adaptor) | | | | | |
| Length | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 0.75m | 44.95 | 89.95 | 239.00 | 626.50 | 1,149.00 | 3,350.00 |
| 1m | - | - | 259.00 | 679.00 | 1,299.00 | 3,700.00 |
| 1.5m | 54.95 | 99.95 | 299.00 | 784.00 | 1,599.00 | 4,400.00 |
| 2m | - | - | 339.00 | 889.00 | 1,899.00 | 5,100.00 |
| 3m | 74.95 | 139.95 | 419.00 | 1,099.00 | 2,499.00 | 6,500.00 |
| 5m | 89.95 | 199.95 | 579.00 | 1,519.00 | 3,699.00 | 9,300.00 |
| Other prepared lengths use formula: | - | - | 80.00/m + 179.00 | 210.00/m + 469.00 | 600.00/m + 699.00 | 1,400.00/m + 2,300.00 |

AES/EBU (Balanced) Cables



| Model | Carbon | Wild | WEL Signature |
|--|--|--|--|
| Metal | Solid 5% Silver | Solid 100% Perfect-Surface Silver (PSS) | |
| Gauge | 0,2mm ² | 0,41mm ² | |
| Dielectric | Hard-Cell Foam | | |
| Noise-Dissipation | Carbon-Based Multi-Layer Noise-Dissipation | Carbon-Based Multi-Layer Noise-Dissipation, 2 x EMI Absorption | Carbon-Based Multi-Layer Noise-Dissipation, 3 x EMI Absorption |
| Jacket | Dark Gray/Black Braid | Navy Blue Braid | Black Braid |
| Termination | Cold-Welded, Hanging-Silver Directly Over Pure Purple Copper | Cold-Welded, Hanging-Silver Directly Over Machined Pure Red Copper | |
| Shield | Foil + Tinned Braid | Foil + Silver-Plated Spiral | |
| Length | UK Retail | UK Retail | UK Retail |
| 0,75m | 304.00 | 2,449.00 | 4,175.00 |
| 1m | 329.00 | 2,699.00 | 4,600.00 |
| 1,5m | 379.00 | 3,199.00 | 5,450.00 |
| 2m | 429.00 | 3,699.00 | 6,300.00 |
| 3m | 529.00 | 4,699.00 | 8,000.00 |
| 5m | 729.00 | 6,699.00 | 11,400.00 |
| Other prepared lengths use formula: | 100.00/m + 229.00 | 1,000.00/m + 1,699.00 | 1,700.00/m + 2,900.00 |

Ethernet Cables (RJ/E)

Pearl, Forest and Cinnamon available in Installer 5-Packs, page 60.



Limited or no availability.
Please contact AQ

| Model | Pearl | Forest | Cinnamon | Vodka | Diamond 72v DBS |
|--------------------------|---|---|--|--|---|
| Metal | Solid Long-Grain Copper (LGC) | Solid 0.5% Silver | Solid 1.25% Silver | Solid 10% Silver | Solid 100% Perfect-Surface Silver (PSS) |
| Dielectric | Geometry Stabilizing Solid High-Density Polyethylene | | | | |
| Noise-Dissipation | Direction-Controlled Conductors | | | Carbon-Based Noise-Dissipation | |
| Jacket | CMG (CL3 & FT4) Rated Black PVC with Gray Stripes | CMG (CL3 & FT4) Rated Black PVC with Green Stripes | Up to 3.0m: Red/Black Braid 5.0m and Longer: CMG (CL3 & FT4) Rated Black PVC with Red Stripes | Up to 3.0m: Blue/Black Braid 5.0m and Longer: CMG (CL3 & FT4) Rated Black PVC with Blue Stripes | Silver/Black Braid |
| Termination | Gold-Plated Nickel Connectors with 100% Shield Coverage | | | Precision-Made Low-Loss Ultra-Wide Bandwidth Telegärtner Connectors with 100% Shield Coverage and Strain Relief | |
| Length | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 0.75m | 39.95 | 74.95 | 109.95 | 519.00 | 1,299.00 |
| 1.5m | 54.95 | 89.95 | 129.95 | 649.00 | 2,099.00 |
| 3m | 79.95 | 119.95 | 169.95 | 899.00 | 3,499.00 |
| 5m | 109.95 | 154.95 | 219.95 | 1,299.00 | 5,099.00 |
| 8m | 169.95 | 229.95 | 309.95 | 1,899.00 | 7,799.00 |
| 12m | 229.95 | 319.95 | 409.95 | 2,599.00 | 11,299.00 |

Accessories



Level-X DBS Pack 72v + Noise-Dissipation

- Niagara Custom-Built Noise-Trap Dissipates RF Noise
- 72v Dielectric-Bias System Reduces Dielectric-Noise

UK Retail Each: 139.00



SorboGel Q-Feet System

Set of 4 energy-absorbing feet each with a "tray" which improves performance and protects furniture. Each foot supports up to 4 kg.

UK Retail: 129.95



Fog Lifters

For use with audio and AC power cables, Fog Lifters reduce the RF noise that capacitively couples into cables through all solid materials (carpet, stone, wood, etc.)

Set of 8 UK Retail: 129.95



Cable Clips

Fast and easy way to hold AudioQuest's largest cables in place.

AC Power Cables:

- Thunder, Tornado, Hurricane, FireBird, Dragon

Speaker Cables:

- Robin Hood, William Tell
- ThunderBird, FireBird, Dragon

Interconnect Cables (RCA and XLR):

- ThunderBird, FireBird, Dragon

Set of 6 UK Retail: 10.00



CleanScreen Kit

150 ml. Bottle + 10 ml. Spray + Retractable Brush

UK Retail: 24.95



Sorbothane Self-Stick Sheet

15.24cm x 15.24cm x 0.25cm sheet can be cut to size to damp anything, especially effective on top surface of speaker stands.

UK Retail: 46.95



Binding-Post Wrench

Real tool-quality double-ended nut driver with metal inserts.

Fits 11.11 mm and 12.7mm binding posts.

UK Retail: 17.95

Accessories



RCA \leftrightarrow BNC Adaptor
Female RCA to/from Male BNC

UK Retail: 16.95



F > RCA Male Adaptor
Female RCA to Male RCA

UK Retail: 11.95



F > BNC Male Adaptor
75 Ω

UK Retail: 11.95



F > 2F Splitter
3GHz 75 Ω

UK Retail: 16.95



F > 4F Splitter
3GHz 75 Ω

UK Retail: 21.95



F \leftrightarrow F
75 Ω Coupler

UK Retail: 8.95



F-90°
Male \leftrightarrow Female Adaptor

UK Retail: 11.95



Antenna 90°
Male \leftrightarrow Female Adaptor

UK Retail: 8.95

Antenna Cable



| Model | Antenna HD6 Forest |
|---------------------------|---|
| Conductor | Solid 0.5% Silver |
| Shield | 3-Layer Shield: Foil + 90% Braid + Foil |
| Jacket | Dark Gray with Green Stripes |
| Application | |
| Male Coax - Male Coax | Yes |
| Male Coax - Female Coax | Yes |
| Female Coax - Female Coax | Yes |
| F - F | Yes |
| Length | UK Retail |
| 1.5m | 45.75 |
| 3m | 61.50 |
| 4.5m | 77.25 |

Accessories

RCA-300

Fits cables up to 7.0mm O.D.
Gold-Plated. Requires soldering.



#300 Male
Set of 4
UK Retail: 50.00

#300 Female
Set of 4
UK Retail: 50.00

RCA-800

Fits cables up to 9.0mm O.D.
Direct-Silver Plated. Requires soldering.



#800 Male
Set of 4
UK Retail: 69.00

XLR Connectors

Fits cables up to 9.0mm O.D.
Direct-Silver Plated. Requires soldering.



#81 Male
Pair
UK Retail: 99.00

#80 Female
Pair
UK Retail: 99.00

Accessories



RJ45 Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused RJ45 inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.

Set of 4
UK Retail: 29.95



USB-A Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused USB inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.


Set of 4
UK Retail: 29.95



HDMI Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused HDMI inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.


Set of 4
UK Retail: 29.95



XLR Input (Female) Noise-Stopper Caps

Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

UK Retail
per Pair: 39.95



XLR Output (Male) Noise-Stopper Caps

Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

UK Retail
per Pair: 39.95



RCA Noise-Stopper Caps

Prevents RFI and EMI noise from entering RCA sockets. 23 internal springs ensure universal fit.

UK Retail
Set of 10: 49.95



| | | | | | | | |
|----|----|----|----|----|----|----|----|
| 7. | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
| 8. | 19 | 20 | 21 | 22 | 23 | 24 | 25 |
| 9. | 26 | 27 | 28 | 29 | | | |

GLOBAL MULTIMODAL FREIGHT SERVICES

March 2024

| | | | | | | | | |
|-----|----|----|----|----|----|----|----|---|
| 9. | | | | | | 1 | 2 | 3 |
| 10. | 4 | 5 | 6 | 7 | 8 | 9 | 10 | |
| 11. | 11 | 12 | 13 | 14 | 15 | 16 | 17 | |
| 12. | 18 | 19 | 20 | 21 | 22 | 23 | 24 | |
| 13. | 25 | 26 | 27 | 28 | 29 | 30 | 31 | |


END TO END SUPPLY CHAIN VISIBILITY

April 2024

| | | | | | | | |
|----|----|----|----|----|----|----|----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 |

W.EMOTRANS.COM

Instant Tool-less Connectors (ITC) for Analog-Audio, Mini-Coax, and RG6 Cables on Spools



ITC One-Step Stripper for 18 and 24 AWG

For HD6, ITA, and ITV Cables

UK Retail: 10.00

18 AWG Connectors and Cables for Video, RF, Digital, Subwoofer



**ITC-18G
RCA**
UK Retail
per piece:
3.25

Supplied in
bags of 50



**ITC-18G
BNC**
UK Retail
per piece:
4.75

Supplied in
bags of 50



**ITC-18G
EU Coax M**
UK Retail
per piece:
3.00

Supplied in
bags of 50



**ITC-18G
EU Coax F**
UK Retail
per piece:
3.00

Supplied in
bags of 50

| | HD6 Pearl | HD6 Forest | HD6 Carbon |
|---------------------------------|---|------------------------------|--|
| Metal | Solid Conductive-Coated Copper | Solid 0.5% Silver | Solid 5% Silver |
| Shield | 3-Layer Shield: Foil + 90% Braid + Foil | | 4-Layer Shield: Carbon-Loaded PE + Foil + 90% Braid + Foil |
| CL3 Jacket Color Choices | Dark Gray or White Stripes | Gray, Green or White Stripes | Black, Gray, or White Stripes |
| Length | UK Retail | UK Retail | UK Retail |
| 76m Spool | - | - | 19.50/m |
| 152m Spool | 6.50/m | 10.50/m | - |


Limited or no availability.
Please contact AQ

Limited or no availability.
Please contact AQ


| | ITA-1/1 | ITA-3/3 | ITA-5/5 |
|-------------------------------|-------------------------------|------------------------------------|--------------------------------------|
| Audio | ITA-1/1 | ITA-3/3 | ITA-5/5 |
| Center Conductor Metal | Solid Long-Grain Copper (LGC) | Solid Perfect-Surface Copper (PSC) | Solid Perfect-Surface Copper+ (PSC+) |
| Neg. Conductor/Shield | LGC HyperLitz | PSC HyperLitz | PSC+ HyperLitz |
| CL3 Jacket | Blue (Pair) | Green (Pair) | Dark Gray (Pair) |
| Length | UK Retail | UK Retail | UK Retail |
| 15m Spool | 12.50/m | - | - |
| 76m Spool | 12.50/m | 19.50/m | 32.00/m |
| 152m Spool | 12.50/m | - | - |

Limited or no availability. Please contact AQ

CL3/FT4 In-Wall Rated Bulk Speaker Cables



| Model | SLiP-DB 16/2 | SLiP-DB 16/4 | SLiP-DB 14/2 | SLiP-DB 14/4 | SLiP Max 14/2 | SLiP Max 14/4 |
|--------------------------|--|-------------------------|-------------------------|-------------------------|------------------------------------|-------------------------|
| Metal | Semi-Solid Concentric LGC | | | | Semi-Solid Concentric PSC+ and LGC | |
| Gauge | 2 x 1,31mm ² | 4 x 1,31mm ² | 2 x 2,08mm ² | 4 x 2,08mm ² | 2 x 2,08mm ² | 4 x 2,08mm ² |
| Noise-Dissipation | None | | | | Carbon-Based Noise-Dissipation | |
| Jacket | White PVC with Silver Stripes or Gray PVC with Red Stripes | | | | Dark Gray PVC with Black Stripes | |
| Length | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 50m Spool | - | - | - | - | 25.00/m | - |
| 100m Spool | - | - | - | - | 25.00/m | 45.00/m |
| 152m Spool | 5.50/m | 8.50/m | 7.50/m | 12.00/m | - | - |




| Model | Type 5 | Rocket 11 | Rocket 22 | Rocket 33 | Rocket 44 | Rocket 88 |
|------------------------------|---|---------------------------|-----------------------------------|---|--|------------------------------|
| Metal | Solid PSC+ Sonic-Signature Conductors and LGC | Semi-Solid Concentric LGC | Semi-Solid Concentric PSC and LGC | Solid PSC and LGC | Solid PSC+ and PSC | Solid PSC+ |
| Gauge | 1.65mm ² | 2.08mm ² | 3.31mm ² | 2.08mm ² | 2.63mm ² | |
| Geometry | Star-Quad | Double-Spiral | | Double Star-Quad | | |
| Dielectric | N/A | PVC | | Foamed-Polyethylene (For All Positive Conductors) | | |
| Noise-Dissipation | Carbon-Based Noise-Dissipation | No | | Carbon-Based Noise-Dissipation | | |
| Jacket | Red Striped PVC | Black or White PVC | Black or White PVC | Black PVC with Red Stripes | Black PVC with Gloss Black Matte Stripes | Black PVC with Green Stripes |
| Single BiWire Capable | N/A | Yes | | | | |
| Length | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 50m Spool | - | 20.00/m | 40.00/m | 65.00/m | 100.00/m | 130.00/m |
| 100m Spool | 25.00/m | 20.00/m | 40.00/m | 60.00/m | - | - |

Limited or no availability. Please contact AQ

Termination "Pants" available for Type 5, Rocket 11/22/33/44/88, page 54.

Bulk Speaker Cables – Not In-Wall Rated



| Model | G2 | X2 | Q2 |
|------------------------------|---|--------------------------------|------------------------|
| Metal | Semi-Solid Concentric Long-Grain Copper (LGC) | | |
| Gauge | 1.31mm ² | 2.08mm ² | 1.65mm ² |
| Jacket | Dark Gray PVC or Off-White PVC | Dark Gray PVC or Off-White PVC | Black PVC or White PVC |
| Length | UK Retail | UK Retail | UK Retail |
| 10m - <i>White Only</i> | 60.00 | - | - |
| 30m Pack - <i>White Only</i> | 180.00 | 210.00 | - |
| 100m spool | 6.00/m | 8.50/m | 14.00/m |

Note: For 100m spools, retail price per meter is listed. Other packaged lengths are shown with retail price per pack.



| Model | Rocket 33 | Rocket 44 | Rocket 88 |
|------------------------------|--|---|--------------------------------------|
| Metal | Solid Perfect-Surface Copper (PSC) and Long-Grain Copper (LGC) | Solid Perfect-Surface Copper+ (PSC+) and Perfect-Surface Copper (PSC) | Solid Perfect-Surface Copper+ (PSC+) |
| Gauge | 2.08mm ² | 2.62mm ² | |
| Geometry | Double Star-Quad | | |
| Dielectric | Foamed-Polyethylene (For All Positive Conductors) | | |
| Noise-Dissipation | Carbon-Based Noise-Dissipation | | |
| Jacket | Red/Black Braid | Silver/Black Braid | Green/Black Braid |
| Single BiWire Capable | Yes | | |
| Length | UK Retail | UK Retail | UK Retail |
| 50m Spool | 65.00/m | 100.00/m | 130.00/m |
| 100m Spool | 65.00/m | - | - |

Termination "Pants" available for Type 5, Rocket 33/44/88, page 56.

SureGrip® Speaker Connectors

Fits up to 6.63mm² Speaker Cables



SureGrip® 100 Banana

Direct-Silver or Gold over Beryllium-Copper

Set of 8
UK Retail: 59.95

Set of 12
UK Retail: 89.95

Bag of 80
UK Retail: 599.50

Bag of 120
UK Retail: 899.50



SureGrip® 100 Multi-Spade

Direct-Silver or Gold Plating over Purple Copper

Set of 8
UK Retail: 59.95

Set of 12
UK Retail: 89.95

Bag of 80
UK Retail: 599.50

Bag of 120
UK Retail: 899.50



Allen Tool Included



SureGrip® 300 Banana

Direct-Silver or Gold over Beryllium-Copper

Set of 4
UK Retail: 59.95

Tray of 40
UK Retail: 599.50



SureGrip® 300 Multi-Spade

Direct-Silver or Gold Plating over Purple Copper

Set of 4
UK Retail: 59.95

Tray of 40
UK Retail: 599.50



Allen Tool Included



Black Labels Included



500 Series Banana or Multi-Spade

Hanging-Silver directly over pure Purple Copper or Hanging-Gold directly over pure Purple Copper. Silver or Gold.

Set of 4
UK Retail: 129.95

Set of 6
UK Retail: 194.95



Combination Allen and Phillips Tool Included



1000 Series Banana or Multi-Spade

Hanging-Silver directly over pure Red Copper.

Set of 4
UK Retail: 219.95










Set of 6
UK Retail: 329.95



Combination Allen and Phillips Tool Included

Spade, Pin, and Banana Connectors

Supplied with Red and Black "Boots" (except 1002)



| | | |
|--|---|---|
|  <p>1410/S 1410/G Direct-Silver Plated and Direct-Gold Plated Up to 2.08 mm² 4.76mm Binding Post</p> <p>Set of 4 UK Retail: 50.00</p> |  <p>1010/S 1010/G Direct-Silver Plated and Direct-Gold Plated Up to 5.26 mm² 4.76mm Binding Post</p> <p>Set of 4 UK Retail: 70.00</p> |  <p>1414/S 1414/G Direct-Silver Plated and Direct-Gold Plated Up to 2.08 mm² 6.35mm Binding Post</p> <p>Set of 4 UK Retail: 50.00</p> |
|  <p>1014/S 1014/G Direct-Silver Plated and Direct-Gold Plated Up to 5.26 mm² 6.35mm Binding Post</p> <p>Set of 4 UK Retail: 50.00</p> |  <p>1056/S 1056/G Direct-Silver Plated and Direct-Gold Plated Up to 5.26 mm² 7.94mm Binding Post</p> <p>Set of 4 UK Retail: 50.00</p> |  <p>P10M/S P10M/G Hanging-Silver and Hanging Gold Up to 5.26 mm² 6.35mm and 7.94mm Binding Post</p> <p>Set of 4 UK Retail: 42.50</p> |
|  <p>BP10/S BP10/G Direct-Silver Plated and Direct-Gold Plated Up to 5.26 mm² Bendable Pin Fits Almost Everything</p> <p>Set of 4 UK Retail: 35.00</p> |  <p>Crimp-BFA/S Crimp-BFA/G Direct-Silver Plated and Direct-Gold Plated Up to 6.63 mm² Standard Banana Jack</p> <p>Set of 4 UK Retail: 35.00</p> |  <p>1002/S 1002/G Direct-Silver Plated and Direct-Gold Plated Up to 6.63 mm² Standard Banana Jack</p> <p>Set of 4 UK Retail: 85.00</p> |

Termination "Pants" for Speaker Cables



| | Full-Range | Single BiWire |
|-----------------------|------------|---------------|
| Model | UK Retail | UK Retail |
| Rocket 11 Pants set/4 | 12.95 | 17.95 |
| Rocket 22 Pants set/4 | 12.95 | 17.95 |
| Rocket 33 Pants set/4 | 12.95 | 17.95 |
| Rocket 44 Pants set/4 | 12.95 | 17.95 |
| Rocket 88 Pants set/4 | 12.95 | 17.95 |
| Type 5 Pants set/4 | 12.95 | - |

CL3/FT4 In-Wall Rated Bulk Audio Interconnect Cables & Plugs



| Model | Chicago | Red River | Mackenzie |
|--------------------------|---|---|---|
| Metal | Solid Long-Grain Copper (LGC) | Solid Perfect-Surface Copper (PSC) | Solid Perfect-Surface Copper+ (PSC+) |
| Geometry | Double-Balanced | Triple-Balanced (Separate Ground-Reference Conductor) | |
| Dielectric | Hard-Cell Foam | | |
| Noise-Dissipation | Metal-Layer Noise-Dissipation | | Carbon-Based Multi-Layer Noise-Dissipation |
| Jacket | Green/Black Braid or CL3 Black PVC with Green Stripes | Red/Black Braid or CL3 Black PVC with Red Stripes | Brown/Black Braid or CL3 Black PVC with Brown Stripes |
| Length | UK Retail | UK Retail | UK Retail |
| 50m | - | - | 35.00/m |
| 100m | 10.00/m | 25.00/m | - |

Note: For spools, retail price per meter is listed.

Field Termination Connectors

To download Chicago, Red River, and Mackenzie cable termination manuals, go to <https://www.audioquest.com/custom-install/manuals>



Rivers Interconnect Crimper Tool

Required with either AudioQuest Chicago RCA, Red River and Mackenzie RCA or XLR plugs.



Chicago RCA
Gold-Plated

Set of 4
UK Retail: 89.00



Red River RCA
Gold-Plated

Set of 4
UK Retail: 89.00



Red River XLR
Gold-Plated

Set of 4
UK Retail: 149.00



Mackenzie RCA
Hanging-Silver over Purple Copper


Set of 4
UK Retail: 119.00



Mackenzie XLR
Hanging-Silver over Purple Copper

Set of 4
UK Retail: 169.00

CL3/FT4 In-Wall Rated Bulk CAT6 and CAT7 Ethernet Cables & Plugs



Limited or no availability. Please contact AQ

| | CAT 600 DCP | CAT 600 FMJ | CAT 700 Pearl | CAT 700 Forest | CAT 700 Carbon |
|-------------------|--|--|--|--|--|
| Metal | Solid Long-Grain Copper (LGC) | | | Solid 0.5% Silver | Solid 5% Silver |
| Shield | N/A | Overall Shield | Overall Shield and Individual Pairs | | |
| Gauge | 0.26 mm ² | | | | |
| Dielectric | Solid High-Density Polyethylene | | | Hard-Cell Foam | |
| Jacket | CMG (CL3/FT4) Rated White PVC with Black Stripes or Dark Gray PVC with White Stripes | CMG (CL3/FT4) Rated White or Black PVC with Blue Stripes | CMG (CL3/FT4) Rated White or Medium Gray PVC with Yellow PVC | CMG (CL3/FT4) Rated White PVC with Green Stripes | CMG (CL3/FT4) Rated Dark Gray PVC with Black Stripes |
| Length | UK Retail | UK Retail | UK Retail | UK Retail | UK Retail |
| 152m | - | 5.00/m | 8.50/m | 15.50/m | 60.00/m |
| 305m | 4.00/m | - | - | - | - |

Note: For spools, retail price per meter is listed.

CAT6/7 Connectors

To download CAT600 and CAT700 cable termination manuals, go to <https://www.audioquest.com/custom-install/manuals>



Cat6/6a/7 Crimper Tool and Die

Required to terminate our Cat6/7 cables and connectors, includes Cat6 and Cat7 Die.



Cat6 Die

Also sold separately



Load Bar Connector Boot

CAT600 DCP Connectors

Fits **CAT600DCP** cable and **standard unshielded** Cat6 cables

Each UK Retail: 1.50 **Bag of 50 UK Retail: 75.00**



Load Bar Connector Boot

CAT600 FMJ Connectors

Fits **CAT600FMJ**, **CAT700** and **standard shielded Cat6/Cat7** cables

Each UK Retail: 3.25 **Bag of 50 UK Retail: 162.50**



Load Bar Connector Boot

CAT700 Connectors

Fits **CAT600FMJ**, **CAT700** and **standard shielded Cat6/Cat7** cables

Each UK Retail: 3.50 **Bag of 50 UK Retail: 175.00**



CAT700 Telegärtner Male Connector

Fits all standard Cat6a/Cat7 cables

Each UK Retail: 25.00

Installer Packs

Cables and Accessories in Installer-Friendly bags instead of hanging boxes.

Installer Packs provide exactly what you need to get the job done. Each Pack includes a number of high-value, high-performance AudioQuest pieces and comes with convenient integrated labels that you can peel off and place on your invoice. No retail packaging, no garbage in your truck, no excess waste or cost.

Audio Interconnect Cables

Packs of 5



| | Tower | Golden Gate | Alpha-Snake |
|---------------|----------------------------|----------------------------|---------------------------|
| Length | UK Retail per Cable | UK Retail per Cable | UK Retail per Pair |
| 0.5m | - | - | 27.95 |
| 0.6m | 38.95 | 99.95 | - |
| 1m | 42.95 | 109.95 | 31.95 |
| 2m | 49.95 | 129.95 | 37.95 |
| 3m | 59.95 | 159.95 | 43.95 |

0.6m available in RCA - RCA only.
1 - 3m available in RCA - RCA, 3.5mm - RCA, 3.5mm - 35mm.

Optical Cables

Packs of 5



| | Pearl | Forest | Cinnamon |
|---------------|----------------------------|----------------------------|----------------------------|
| Length | UK Retail per Cable | UK Retail per Cable | UK Retail per Cable |
| 0.75m | 34.95 | 54.95 | 79.95 |
| 1,5m | 44.95 | 69.95 | 104.95 |
| 3m | 59.95 | 99.95 | 139.95 |

Available in Full-to-Full configurations only.

Audio Interconnect FLX-X RCA Splitters

Packs of 5



| M22F | F22M |
|-----------------------|-----------------------|
| UK Retail Each | UK Retail Each |
| 22.95 | 22.95 |

AC Power C7 90° Adaptors

Packs of 10



| E = Equal radius | U = Unequal radius |
|-----------------------|-----------------------|
| UK Retail Each | UK Retail Each |
| 22.50 | 22.50 |

HDMI Cables

Packs of 5




| | BlueBerry | Pearl 48 | Forest 48 |
|---------------|----------------------------|----------------------------|----------------------------|
| Length | UK Retail per Cable | UK Retail per Cable | UK Retail per Cable |
| 0.6m | 29.95 | 34.95 | 69.95 |
| 1m | 34.95 | 39.95 | 84.95 |
| 1.5m | 39.95 | 44.95 | 104.95 |
| 2m | 44.95 | 49.95 | 119.95 |
| 3m | 54.95 | 69.95 | 149.95 |
| 5m | 94.95 | 169.95 | 299.95 |

BlueBerry meets the 18G bandwidth required for video up to 8K/30;
 Pearl 48, Forest 48, and Cinnamon 48 extend this capability up to 8K/60 and 4K/120.

HDMI Adaptors

Packs of 5



| HDMI 90° /W | HDMI 90° /N | HDMI 90° NU/R | HDMI 90° NU/L | HDMI Coupler |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| UK Retail Each | UK Retail Each | UK Retail Each | UK Retail Each | UK Retail Each |
| 16.95 | 16.95 | 16.95 | 16.95 | 16.95 |

Ethernet Cables (RJ/E)

Packs of 5



| | Pearl | Forest | Cinnamon |
|---------------|----------------------------|----------------------------|----------------------------|
| Length | UK Retail per Cable | UK Retail per Cable | UK Retail per Cable |
| 0.75m | 39.95 | 74.95 | 109.95 |
| 1.5m | 54.95 | 84.95 | 129.95 |
| 3m | 79.95 | 119.95 | 169.95 |
| 5m | 109.95 | 154.95 | 219.95 |

Digital Coax Cables

Packs of 5



| | Forest |
|---------------|----------------------------|
| Length | UK Retail per Cable |
| 0.75m | 44.95 |
| 1.5m | 54.95 |
| 3m | 74.95 |
| 5m | 94.95 |

AudioQuest Branded Point of Purchase (POP) Materials



Slat Wall Sign



Acrylic Wall Sign - Red



Acrylic Wall Sign - Black



Tent Card



Window Sticker



Cube Spool Holder

Rugged metal spool holder comes with convenient merchandising labels and accommodates almost any AQ spool.



In-Store Display Rack

Spool holder sold separately.
Dimensions: 193cm (h) x 89cm (w) x 33cm (d)



Standalone Display Rack

Dimensions: 141cm (h) x 40cm (w) x 65cm (d)

AudioQuest Branded Promotional Items



Polo Shirt

Our versatile polo shirt looks great with anything. Classic black with a discreet silver AudioQuest logo.

Men's sizes: S-2XL; Women's sizes: S-XL.



T-Shirt

Our classic crewneck t-shirt is made from 100% lightweight, preshrunk cotton for a perfect fit that's as attractive as it is comfortable. Our t-shirt features a tasteful red AudioQuest logo against a solid black background.

Sizes: S-3XL



Chino Washed Cotton Baseball Cap

Our baseball cap has a durable 8-stitch bill for a long-lasting, contoured shape. The Velcro fastener provides easy adjustments for a perfect fit. Available in black with red AudioQuest logo and trim, this cap looks and feels great. One size fits all.



Beanie

Red, gray, and black, with our classic red AudioQuest logo, our stylish beanie is made from super-stretch, fine-gauge acrylic, for a warm, snug fit over your head and ears. The perfect accessory for those cooler days. One size fits all.



Pen

Take note: With its discreet AQ logo, piano-black lacquered tube, and chrome accents, this ballpoint pen has the looks to match the quality of your prose. Keep it in your AudioQuest backpack and take it with you wherever you go.



Water Bottle

Made by Specialized, this 769ml leak-proof water bottle has a self-sealing valve and features easy-to-squeeze BPA-free, recyclable plastic. Our distinct Wolves artwork is printed with a non-solvent based, CPSC-approved ink. Just aim and squeeze for clean, pure refreshment.

AudioQuest Branded Promotional Items



License Plate

It's all about the journey. Take your love for AudioQuest on the road with this license-plate frame. The clean, simple design features our red AudioQuest logo and "Experience the Difference" mantra set against a black background—perfect for any ride. Vroom!



Backpack

Available in black with our black AudioQuest and Four Elements logos. Accommodates laptops with 13" screens and tablets. Made of nylon.



Padded Backpack

Do no harm with our padded backpack. It features a discreet front-panel zipper, multiple internal pockets, and mesh side pockets for drinks and other items. A padded laptop insert safely accommodates screens up to 15". Mesh backing and straps are durable and comfortable, making the backpack as easy to carry as it is to wear.



Tote Bag

This super-durable tote bag is made of water-repellent polyester and has a long strap that fits easily over a shoulder. Measuring 38cm x 36.5cm, its slim pocket is perfect for carrying AudioQuest merchandise—pens, tumblers, price books—and even an LP or two! The simple black-on-black design features a subtly stylish AQ logo.

Index

A

AC Power Cables

| | |
|--------------------------------|----|
| NRG-X2 | 11 |
| NRG-Y2 | 11 |
| NRG-Z2 | 11 |
| NRG-X3 | 11 |
| NRG-Y3 | 11 |
| NRG-Z3 | 11 |
| Jaws | 12 |
| Jaws Turbo | 12 |
| Blizzard | 12 |
| Blizzard XTRM | 12 |
| Silver Cloud | 12 |
| Silver Cloud XTRM | 12 |
| Thunder (High-Current) | 13 |
| Tornado (High-Current) | 13 |
| Tornado (Source) | 13 |
| Hurricane (High-Current) | 13 |
| Hurricane (Source) | 13 |
| FireBird (High-Current) | 13 |
| FireBird (Source) | 13 |
| Dragon (High-Current) | 13 |
| Dragon (Source) | 13 |

AC Power Conditioners

| | |
|--------------------|---|
| Niagara 1200 | 9 |
| Niagara 3000 | 9 |
| Niagara 5000 | 9 |
| Niagara 7000 | 9 |

Adaptors

| | |
|---|-------|
| C7 90° Adaptor Kit | 14 |
| See also Installer Packs, pg. 57 | |
| DragonTail A to C Adaptor | 7, 42 |
| DragonTail USB A 2.0 Extender | 7, 42 |
| DragonTail USB A to Micro Adaptor | 7, 42 |
| DVI-IN to HDMI-OUT Adaptor | 39 |
| F-90° Adaptor | 48 |
| FLX-Mini/RCA Adaptor | 30 |
| F to BNC Male Adaptor | 48 |
| F to RCA Male Adaptor | 48 |
| Hard Mini/RCA Adaptor | 30 |
| HDMI 90°/W Adaptor | 39 |
| See also Installer Packs, pg. 60 | |
| HDMI 90°/N Adaptor | 39 |
| See also Installer Packs, pg. 60 | |

| | |
|---|--------|
| HDMI 90° NU/L Flat Adaptor | 39 |
| See also Installer Packs, pg. 60 | |
| HDMI 90° NU/R Flat Adaptor | 39 |
| See also Installer Packs, pg. 60 | |
| IEC90/1 | 14 |
| IEC90/2 | 14 |
| M21F-90 Adaptor | 30 |
| Mini Display Port to HDMI 4K Adaptor | 39 |
| Optical Mini Adaptor | 43 |
| RCA - BNC Adaptor | 44, 48 |
| USB 3.1 C to A Adaptor | 42 |
| USB B - Micro B 2.0 Adaptor | 42 |
| USB Mini B - Micro B 2.0 Adaptor .. | 42 |

AES/EBU (Balanced) Cables

| | |
|---------------------|----|
| Carbon | 45 |
| Wild | 45 |
| WEL Signature | 45 |

Audio Interconnect Cables

| | |
|------------------------------------|----|
| Tower | 26 |
| See also Installer Packs, pg. 59 | |
| Evergreen | 26 |
| Golden Gate | 26 |
| See also Installer Packs, pg. 59 | |
| Big Sur | 26 |
| Sydney | 26 |
| Angel SE | 26 |
| Angel | 26 |
| Chicago | 27 |
| See also Bulk Cables, pg. 57 | |
| Red River | 27 |
| See also Bulk Cables, pg. 57 | |
| Mackenzie | 27 |
| See also Bulk Cables, pg. 57 | |
| Yukon | 27 |
| Black Beauty | 28 |
| Pegasus | 28 |
| ThunderBird | 29 |
| FireBird | 29 |
| Dragon | 29 |
| Alpha-Snake, Installer Packs | 59 |

B

BiWire Jumpers

| | |
|---------------------------------|----|
| Bare Naked BiWire Jumpers | 24 |
| ThunderBird | 24 |
| Dragon | 24 |

Bulk Cables

| | |
|----------------------|--------|
| HD6 Pearl | 52 |
| HD6 Forest | 52 |
| HD6 Carbon | 52 |
| ITA-1/1 | 52 |
| ITA-3/3 | 52 |
| ITA-5/5 | 52 |
| SLiP/DB-16/2 | 53 |
| SLiP/DB-16/4 | 53 |
| SLiP/DB-14/2 | 53 |
| SLiP/DB-14/4 | 53 |
| SLiP XTRM 14/2 | 53 |
| SLiP XTRM 14/4 | 53 |
| G2 | 54 |
| X2 | 54 |
| Q2 | 54 |
| Type 5 | 53 |
| Rocket 11 | 53 |
| Rocket 22 | 53 |
| Rocket 33 | 53, 54 |
| Rocket 44 | 53, 54 |
| Rocket 88 | 53, 54 |
| Chicago | 57 |
| Mackenzie | 57 |
| Red River | 57 |
| CAT600 DCP | 58 |
| CAT600 FMJ | 58 |
| CAT700 Pearl | 58 |
| CAT700 Forest | 58 |
| CAT700 Carbon | 58 |

C

Cable Clips

Cable Risers

| | |
|-------------------|------------|
| Fog Lifters | 14, 24, 47 |
|-------------------|------------|

Cleaner

| | |
|-----------------------|----|
| CleanScreen Kit | 47 |
|-----------------------|----|

Connectors

| | |
|--------------------------------------|----|
| 507 Series Banana | 55 |
| 1000 Series Banana | 55 |
| Banana Connectors | 56 |
| CAT600 DCP Connectors | 58 |
| CAT600 FMJ Connectors | 58 |
| CAT700 Connectors | 58 |
| CAT700 Telegärtner Male Connector .. | 58 |
| Chicago RCA | 57 |
| F-90° | 52 |
| ITC-18G/BNC | 52 |
| ITC-18G/F | 52 |
| ITC-18G/RCA | 52 |
| ITC-24G/BNC | 52 |
| ITC-24G/F | 52 |
| ITC-24G/RCA | 52 |
| Mackenzie RCA | 57 |
| Mackenzie XLR | 57 |
| Pin Connectors | 56 |
| RCA-300 | 49 |
| RCA-800 | 49 |
| Red River RCA | 57 |
| Red River XLR | 57 |
| Spade Connectors | 56 |
| SureGrip 100 Banana | 55 |
| SureGrip 100 Multi-Spade | 55 |
| SureGrip 300 Banana | 55 |
| SureGrip 300 Multi-Spade | 55 |
| XLR Connectors | 49 |

Couplers

| | |
|----------------------------------|----|
| F - F Coupler | 48 |
| HDMI A - A Coupler | 39 |
| See also Installer Packs, pg. 60 | |
| RCA - RCA Coupler | 30 |

Index

D

| | |
|--|----|
| Digital to Analog Converter (DAC) | |
| <i>DragonFly Copper</i> | 7 |
| DBS Pack, Level-X | 47 |
| Digital Coax Cables | |
| <i>Forest</i> | 44 |
| See also <i>Installer Packs</i> , pg. 60 | |
| <i>Cinnamon</i> | 44 |
| <i>Carbon</i> | 44 |
| <i>Coffee</i> | 44 |
| <i>Diamond</i> | 44 |
| <i>WEL Signature</i> | 44 |

E

| | |
|--|----|
| Ethernet Cables (RJ/E) | |
| <i>Pearl</i> | 46 |
| See also <i>Installer Packs</i> , pg. 60 | |
| <i>Forest</i> | 46 |
| See also <i>Installer Packs</i> , pg. 60 | |
| <i>Cinnamon</i> | 46 |
| See also <i>Installer Packs</i> , pg. 60 | |
| <i>Vodka</i> | 46 |
| <i>Diamond</i> | 46 |

F

| | |
|--------------------------|------------|
| Fog Lifters | 14, 24, 47 |
|--------------------------|------------|

G

| | |
|--------------------------|----|
| GroundGoody | |
| <i>Black Hole</i> | 34 |
| <i>ThunderBird</i> | 34 |
| <i>Dragon</i> | 34 |

H

| | |
|--|----|
| HDMI Cables | |
| <i>BlueBerry</i> | 37 |
| See also <i>Installer Packs</i> , pg. 60 | |
| <i>Pearl 48</i> | 37 |
| See also <i>Installer Packs</i> , pg. 60 | |
| <i>Forest 48</i> | 37 |
| See also <i>Installer Packs</i> , pg. 60 | |
| <i>Cinnamon 48</i> | 37 |
| <i>Carbon 48</i> | 37 |
| <i>Vodka 48</i> | 37 |
| <i>ThunderBird 48</i> | 37 |
| <i>FireBird 48</i> | 37 |
| <i>Dragon 48</i> | 37 |
| <i>Pearl 18 Long Distance</i> | 38 |
| <i>Forest 18 Long Distance</i> | 38 |
| <i>Root Beer 18 Optical</i> | 38 |
| <i>Cherry Cola 48 Optical</i> | 38 |
| <i>Vodka eARC</i> | 38 |
| <i>ThunderBird eARC</i> | 38 |
| <i>Dragon eARC</i> | 38 |

Headphone Accessories

| | |
|--|----|
| <i>Headphone Plug Adaptor</i> | 34 |
| <i>NightBird Headphone Cable</i> | 34 |
| <i>Perch Headphone Stand</i> | 34 |

J

| | |
|----------------------------|-------|
| JitterBug FMJ | 7, 44 |
|----------------------------|-------|

N

| | |
|---------------------------------------|----|
| Noise-Stopper Caps | |
| <i>HDMI Noise-Stopper Caps</i> | 50 |
| <i>RCA Noise-Stopper Caps</i> | 50 |
| <i>RJ45 Noise-Stopper Caps</i> | 50 |
| <i>USB-A Noise-Stopper Caps</i> | 50 |
| <i>XLR Input (Female)</i> | |
| <i>Noise-Stopper Caps</i> | 50 |
| <i>XLR Output (Male)</i> | |
| <i>Noise-Stopper Caps</i> | 50 |

O

| | |
|-----------------------|----|
| Optical Cables | |
| <i>Pearl</i> | 43 |
| <i>Forest</i> | 43 |
| <i>Cinnamon</i> | 43 |
| <i>Carbon</i> | 43 |
| <i>Vodka</i> | 43 |

P

| | |
|---|----|
| POP Materials | |
| <i>Acrylic Wall Sign - Black, Red</i> | 61 |
| <i>Cube Spool Holder</i> | 61 |
| <i>Display Rack, In-Store</i> | 61 |
| <i>Display Rack, Standalone</i> | 61 |
| <i>Slat Wall Sign</i> | 61 |
| <i>Tent Card</i> | 61 |
| <i>Window Sticker</i> | 61 |
| PreAmp Jumpers | 30 |

Promotional Items

| | |
|-----------------------------------|----|
| <i>Backpack</i> | 63 |
| <i>Backpack, Padded</i> | 63 |
| <i>Baseball Cap</i> | 62 |
| <i>Beanie</i> | 62 |
| <i>License Plate Holder</i> | 63 |
| <i>Pen</i> | 62 |
| <i>Polo Shirt</i> | 62 |
| <i>Tote Bag</i> | 63 |
| <i>T-Shirt</i> | 62 |
| <i>Water Bottle</i> | 62 |

Q

| | |
|-------------------------------|----|
| Q-Feet, SorboGel | 47 |
|-------------------------------|----|

R

| | |
|---|----|
| Record Brushes | |
| <i>Silver Anti-Static Record Brush</i> | 34 |
| <i>Gold Anti-Static Record Brush</i> | 34 |

S

| | |
|--|----|
| Sorbothane Self-Stick Sheet | 47 |
|--|----|


Speaker Cables

| | |
|--|----|
| <i>Q2</i> | 18 |
| See also <i>Bulk Cables</i> , pg. 54 | |
| <i>Type 5</i> | 18 |
| See also <i>Bulk Cables</i> , pg. 53 | |
| <i>Type 9</i> | 18 |
| <i>Type 9+DBS</i> | 18 |
| <i>Rocket 11</i> | 19 |
| See also <i>Bulk Cables</i> , pg. 53 | |
| <i>Rocket 22</i> | 19 |
| See also <i>Bulk Cables</i> , pg. 53 | |
| <i>Rocket 33</i> | 19 |
| See also <i>Bulk Cables</i> , pgs. 53, 54 | |
| <i>Rocket 44</i> | 19 |
| See also <i>Bulk Cables</i> , pgs. 53, 54 | |
| <i>Rocket 88</i> | 19 |
| See also <i>Bulk Cables</i> , pgs. 53, 54 | |
| <i>Lone Ranger</i> | 20 |
| <i>BigFoot</i> | 20 |
| <i>Lone Ranger & BigFoot Combo</i> | 20 |
| <i>Brave Heart</i> | 20 |
| <i>ThunderBird ZERO</i> | 21 |
| <i>ThunderBird BASS</i> | 21 |
| <i>ThunderBird ZERO BiWire COMBO</i> .. | 21 |
| <i>FireBird ZERO</i> | 22 |
| <i>FireBird BASS</i> | 22 |
| <i>FireBird BiWire COMBO</i> | 22 |
| <i>Dragon ZERO</i> | 23 |
| <i>Dragon BASS</i> | 23 |
| <i>Dragon BiWire COMBO</i> | 23 |

Splitters


| | |
|--|----|
| <i>FLX-Mini Splitter</i> | 30 |
| <i>FLX-X RCA Splitter</i> | 30 |
| See also <i>Installer Packs</i> , pg. 59 | |
| <i>F to 2F Splitter</i> | 48 |
| <i>F to 4F Splitter</i> | 48 |
| <i>Hard RCA Splitter</i> | 48 |

New - See page 20



New - See page 20





audioquest®

www.audioquest.com

Tel 01249 848873